

JUNE 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nauvo, Southwest Finland FIN  
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 43 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
11	13.4	11.8	12.5	11.3	11.8	1.079	0.000	0.8	1009.4	1011.0	1.3	25	1.4	7.6	352	4.2	20	2.5	22	11	
12	15.9	10.4	12.6	10.3	11.3	5.694	0.000	6.8	1016.5	1018.1	3.0	16	3.1	10.8	21	7.2	22	5.8	22	12	
13	16.8	11.4	14.2	9.0	11.4	4.086	0.000	0.0	1026.1	1027.7	1.8	349	2.1	8.7	334	5.2	339	4.1	337	13	
14	20.7	11.1	15.9	8.2	11.7	2.781	0.342	0.0	1024.5	1026.1	0.9	313	1.1	4.8	314	3.1	301	2.5	337	14	
15	22.5	13.0	17.4	10.5	13.4	1.974	0.973	0.0	1015.7	1017.3	1.4	217	1.5	5.4	242	3.4	216	2.7	225	15	
16	20.0	13.2	16.2	12.5	14.0	2.346	0.197	0.0	1009.1	1010.7	1.1	212	1.4	5.4	213	3.8	214	3.1	225	16	
17	17.8	12.8	14.7	11.1	12.7	3.605	0.000	0.0	1008.1	1009.7	2.1	332	2.7	11.6	296	6.1	346	4.6	337	17	
18	16.9	12.9	14.6	11.2	12.7	3.718	0.000	0.4	1004.4	1006.0	2.0	331	2.6	12.0	349	7.0	343	5.4	337	18	
19	15.9	12.2	13.9	9.6	11.5	4.479	0.000	0.0	1005.3	1006.9	3.0	347	3.3	12.6	24	7.0	12	5.4	22	19	
20	17.1	11.8	14.3	8.2	11.0	4.012	0.000	0.0	1013.9	1015.5	3.1	2	3.4	11.2	360	6.3	345	5.4	337	20	
21	15.9	10.3	12.9	9.1	10.8	5.477	0.000	0.0	1010.0	1011.6	1.6	323	2.7	10.8	336	6.3	330	5.3	337	21	
22	19.1	10.7	14.7	7.9	11.0	3.616	0.004	0.0	1014.3	1015.9	1.9	10	2.3	8.9	11	5.4	30	4.2	22	22	
23	15.1	11.1	13.1	9.5	11.1	5.288	0.000	1.6	1004.8	1006.4	2.9	179	3.1	13.3	157	6.3	160	4.9	157	23	
24	14.4	12.2	12.9	11.9	12.3	5.397	0.000	11.0	987.0	988.6	2.2	209	2.7	10.3	157	6.1	200	4.4	157	24	
25	16.8	12.1	13.6	11.3	12.3	4.710	0.000	0.0	992.2	993.7	3.5	343	3.6	10.1	326	6.0	342	5.3	337	25	
26	18.6	11.7	15.0	10.0	12.2	3.293	0.004	0.0	1006.8	1008.4	1.8	340	2.0	7.1	5	4.1	360	3.5	22	26	
27	16.3	12.0	14.3	11.8	12.8	4.073	0.000	1.0	1005.0	1006.6	1.2	174	1.4	7.2	220	4.4	187	3.1	180	27	
28	16.4	12.7	14.3	11.6	12.7	4.067	0.000	0.0	1005.6	1007.2	0.7	306	2.0	7.9	213	4.6	223	3.6	337	28	
29	18.1	13.6	15.5	11.6	13.3	2.845	0.000	0.8	998.1	999.7	2.3	319	3.0	11.8	317	6.5	335	5.5	337	29	
30	18.2	13.3	15.2	10.4	12.5	3.119	0.000	0.0	1006.9	1008.5	4.2	348	4.3	12.5	315	7.0	343	5.7	337	30	
	17.3	12.0	14.4	10.3	12.1	3.783	0.304		1008.2	1009.8	2.1	234	2.5	< Monthly Avg							
NUMBER OF DAYS WITH:		>		Maximum Temp ≥ 32.2: 0		Minimum Temp ≤ 0: 0		Precipitation ≥ 0.2 mm: 7		Precipitation ≥ 2.0 mm: 2		Greatest 24 - hr precipitation: 11.0		Date: 23-24		Monthly Total Precipitation: 22.4					
SEA LEVEL PRESSURE:		>		MAXIMUM: 1029.0		DATE: 13		TIME: 12:33		DEGREEE DAYS: >		HEATING: 75.658		MONTHLY TOTAL: 75.658		SEASON TO DATE TOTAL: 75.658					
				MINIMUM: 987.1		DATE: 24		TIME: 23:52				COOLING: 1.521									

JUNE 2025  
Nauvo, Southwest Finland FIN

JULY 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	21.2	13.9	17.1	10.3	13.2	1.752	0.531	0.0	1013.5	1015.1	2.0	333	2.2	7.4	340	4.4	311	3.7	337	01	
02	19.2	14.4	16.9	13.2	14.7	1.486	0.026	0.0	1012.0	1013.5	1.3	330	1.4	6.6	313	4.4	340	3.6	315	02	
03	19.8	11.4	16.2	13.5	14.6	2.223	0.088	0.8	1004.6	1006.2	1.5	217	2.2	16.7	315	8.1	327	5.4	337	03	
04	16.3	11.4	13.5	8.5	10.8	4.814	0.000	0.0	1010.7	1012.3	4.4	332	4.6	21.5	333	10.5	334	8.9	337	04	
05	17.1	11.9	13.9	11.8	12.7	4.404	0.000	6.0	1007.8	1009.4	1.8	207	2.0	9.3	225	5.6	218	4.7	225	05	
06	16.6	13.1	14.6	13.4	13.9	3.697	0.000	7.6	1000.2	1001.8	1.9	211	2.0	6.7	225	4.7	202	3.6	225	06	
07	19.4	14.0	15.5	14.0	14.5	2.917	0.039	0.0	1000.2	1001.8	1.2	220	1.8	7.4	211	4.3	217	3.7	225	07	
08	19.2	12.4	14.8	12.3	13.3	3.581	0.015	5.4	1000.9	1002.5	1.2	15	1.3	4.9	17	3.3	25	2.3	22	08	
09	21.3	11.3	16.9	10.9	13.4	2.174	0.687	0.0	1011.7	1013.3	1.0	4	1.3	6.6	329	3.9	334	2.9	337	09	
10	21.7	14.5	18.2	11.4	14.2	0.996	0.908	0.0	1015.4	1017.0	1.3	71	1.4	8.5	45	4.4	72	3.6	90	10	
11	19.8	15.5	17.3	13.5	15.0	1.257	0.192	4.8	1014.1	1015.7	1.9	80	2.0	9.1	41	5.0	85	3.4	90	11	
12	25.6	16.6	19.5	16.7	17.7	0.444	1.634	10.6	1015.3	1016.9	0.6	108	1.4	10.4	169	6.4	182	3.7	202	12	
13	22.1	15.3	18.2	16.6	17.1	0.987	0.848	0.0	1017.8	1019.4	0.9	305	1.2	5.1	352	3.2	327	2.4	337	13	
14	22.0	17.9	19.8	17.7	18.4	0.038	1.472	6.6	1015.1	1016.7	0.8	186	1.4	6.6	153	4.4	155	3.4	180	14	
15	25.0	17.3	20.6	18.1	18.9	0.203	2.484	0.0	1011.1	1012.7	1.2	317	1.4	7.1	318	3.8	323	3.3	337	15	
16	29.1	18.3	23.6	17.6	19.7	0.000	5.281	0.0	1007.6	1009.2	0.5	68	0.9	5.4	67	3.2	216	2.2	225	16	
17	29.7	18.9	24.5	16.1	19.0	0.000	6.107	0.0	1010.7	1012.3	0.8	45	0.9	4.4	61	2.5	46	1.9	45	17	
18	28.2	20.2	23.7	15.1	18.3	0.000	5.396	0.0	1014.4	1016.0	0.7	146	1.2	5.3	140	2.8	143	2.2	225	18	
19	27.1	18.1	22.8	14.5	17.6	0.002	4.429	0.0	1012.8	1014.4	0.3	23	1.0	3.9	360	2.8	197	2.1	225	19	
20	28.7	18.8	23.3	16.0	18.6	0.000	4.988	0.0	1010.3	1011.9	0.3	38	1.0	5.5	340	3.5	334	2.9	337	20	
21	27.9	19.6	23.0	17.2	19.2	0.000	4.665	1.2	1009.1	1010.7	0.7	82	0.9	8.2	146	4.6	146	3.0	135	21	
22	25.2	20.1	22.2	18.1	19.5	0.000	3.902	0.0	1008.3	1009.8	0.9	95	1.0	7.2	135	4.2	147	2.8	135	22	
23	28.3	18.6	22.6	18.4	19.8	0.000	4.328	6.6	1007.0	1008.6	0.5	83	1.1	8.9	157	4.9	147	2.7	157	23	
24	29.6	18.5	23.7	18.5	20.2	0.000	5.393	0.0	1008.8	1010.4	0.0	129	0.8	4.5	247	2.5	228	1.9	225	24	
25	27.5	20.1	23.7	18.6	20.3	0.000	5.383	0.0	1009.8	1011.4	1.2	208	1.3	6.0	216	4.0	219	2.8	202	25	
26	25.5	19.1	22.3	18.3	19.6	0.000	3.943	0.0	1008.6	1010.2	1.4	218	1.5	6.0	236	4.0	220	3.2	225	26	
27	25.2	19.2	22.1	18.4	19.6	0.000	3.718	0.0	1008.3	1009.9	1.5	191	1.6	8.2	234	5.4	219	4.2	225	27	
28	26.9	19.4	23.1	19.0	20.3	0.000	4.762	0.0	1006.6	1008.2	0.7	157	0.9	7.2	157	4.3	167	2.5	180	28	
29	23.9	18.6	22.1	19.0	20.0	0.000	3.786	2.8	1003.1	1004.7	2.9	152	3.2	11.8	160	6.3	145	5.1	157	29	
30	25.9	18.6	21.7	18.1	19.3	0.000	3.398	6.8	1009.2	1010.8	0.4	155	1.1	12.6	219	7.7	200	4.8	180	30	
31	25.1	19.5	22.2	19.0	20.0	0.000	3.820	0.2	1008.5	1010.1	0.8	177	1.7	7.0	231	5.1	226	3.6	225	31	
														< Monthly Avg							
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0				Minimum Temp ≤ 0: 0		Precipitation ≥ 0.2 mm: 12				Greatest 24 - hr precipitation: 13.6 Date: 5-6									
		Maximum Temp ≤ 0: 0				Minimum Temp ≤ -17.7: 0		Precipitation ≥ 2.0 mm: 9				Monthly Total Precipitation: 59.4									
SEA LEVEL PRESSURE: >		MAXIMUM: 1020.7		DATE: 13		TIME: 06:03		MONTHLY TOTAL		SEASON TO DATE TOTAL		DEGREEE DAYS: >		HEATING: 30.977		30.977		COOLING: 82.221		83.741	
		MINIMUM: 998.7		8		06:07															

JULY 2025  
Nagu, Egentliga Finland FIN

**AUGUST 2025**

**LOCAL CLIMATOLOGICAL DATA**

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

**Nagu, Egentliga Finland FIN**

**Seili new WS**



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	26.2	18.7	21.5	18.3	19.4	0.000	3.133	8.2	1004.5	1006.1	0.8	130	1.5	6.8	168	4.2	198	3.0	135	01
02	22.0	17.2	19.5	15.7	17.1	0.187	1.349	0.0	1007.5	1009.1	2.6	208	2.7	8.9	226	5.6	191	4.2	202	02
03	23.3	18.3	20.9	16.8	18.2	0.000	2.543	0.0	1014.4	1016.0	1.9	180	2.0	7.6	157	4.6	197	3.4	202	03
04	24.2	18.2	21.2	17.8	19.0	0.003	2.848	4.0	1011.1	1012.7	2.2	183	2.6	11.6	180	7.5	192	4.2	180	04
05	19.9	16.4	18.6	15.4	16.6	0.223	0.458	6.0	1004.4	1006.0	3.8	215	3.9	12.4	226	6.9	221	5.3	225	05
06	18.6	15.6	17.4	12.0	14.2	0.976	0.007	0.0	1003.0	1004.5	4.5	226	4.5	14.6	242	9.7	224	6.9	225	06
07	19.7	15.8	17.8	13.4	15.1	0.872	0.301	0.0	1008.7	1010.3	2.5	228	2.5	8.9	180	5.6	220	4.6	225	07
08	20.3	15.8	17.7	14.1	15.5	0.927	0.252	0.8	1012.4	1013.9	1.6	222	1.7	6.2	219	4.2	218	3.2	225	08
09	21.2	16.6	18.3	14.8	16.1	0.579	0.517	0.0	1014.3	1015.9	2.7	220	2.7	8.5	225	5.8	214	4.6	225	09
10	21.4	16.4	18.6	14.2	15.9	0.611	0.838	0.0	1012.7	1014.3	1.1	259	1.5	6.8	331	3.6	338	2.9	315	10
11	19.5	16.4	18.0	12.3	14.6	0.545	0.177	0.0	1015.4	1017.0	1.8	342	2.0	7.9	341	4.6	324	3.5	337	11
12	20.5	15.9	17.5	13.1	14.9	1.018	0.202	0.0	1014.2	1015.8	1.4	319	1.9	9.7	9	5.5	334	4.5	337	12
13	21.4	16.0	18.5	13.3	15.4	0.712	0.858	0.0	1019.5	1021.1	1.2	222	1.4	6.3	225	4.2	212	3.1	202	13
14	23.4	16.4	19.8	15.4	17.0	0.469	1.923	0.0	1022.3	1023.9	1.7	202	1.8	7.4	233	4.4	218	3.5	202	14
15	23.4	15.6	19.9	16.4	17.7	0.033	1.657	0.0	1015.0	1016.6	3.4	209	3.7	13.9	180	8.6	203	6.7	225	15
16	16.6	11.9	14.7	10.6	12.3	3.663	0.000	7.4	1004.6	1006.2	4.7	343	5.0	16.5	315	9.0	331	7.0	337	16
17	18.4	11.8	14.7	11.7	12.9	3.607	0.000	0.8	1007.3	1008.9	2.9	18	3.0	11.9	342	7.3	9	5.8	360	17
18	19.4	13.2	16.2	10.7	13.1	2.251	0.118	0.0	1013.9	1015.5	2.3	356	2.7	8.7	346	4.9	16	4.0	22	18
19	17.0	13.8	15.5	11.3	13.1	2.790	0.000	0.0	1007.6	1009.2	2.1	354	2.5	10.9	336	5.5	336	4.3	337	19
20	16.7	11.4	14.0	8.0	10.8	4.339	0.000	0.0	1007.5	1009.1	2.3	13	2.5	9.8	315	5.6	343	4.5	22	20
21	16.1	10.6	12.5	9.1	10.6	5.796	0.000	15.2	1006.3	1007.9	0.8	280	1.2	7.5	24	4.6	360	3.8	337	21
22	14.7	10.0	12.1	8.5	10.2	6.261	0.000	3.8	1003.5	1005.1	0.3	357	0.7	6.7	21	4.2	32	3.2	22	22
23	16.8	11.1	13.5	8.8	10.9	4.869	0.000	0.0	1001.4	1003.0	1.9	21	2.3	9.1	318	5.8	336	4.7	337	23
24	15.7	11.8	13.2	9.6	11.2	5.145	0.000	3.4	1000.5	1002.1	2.2	3	2.5	11.6	11	6.7	3	5.4	360	24
25	18.0	11.4	13.0	9.1	10.9	5.296	0.000	3.8	1002.9	1004.5	2.3	18	2.4	13.6	52	7.8	31	5.0	22	25
26	16.3	11.2	13.8	9.8	11.6	4.588	0.000	6.2	1005.8	1007.4	1.7	358	1.8	8.9	315	4.1	347	3.2	22	26
27	16.8	11.1	13.8	10.0	11.7	4.569	0.000	0.0	1010.4	1012.0	1.0	329	1.5	7.2	315	3.8	330	3.1	337	27
28	18.3	12.2	15.4	12.5	13.7	2.934	0.000	0.0	1010.6	1012.2	1.2	196	1.3	6.6	205	4.3	208	3.2	225	28
29	15.6	14.1	14.9	13.5	14.1	3.408	0.000	5.0	1005.6	1007.2	2.0	116	2.2	8.3	76	4.5	87	3.7	90	29
30	15.7	14.2	15.0	14.1	14.5	3.334	0.000	5.4	1002.9	1004.5	0.6	76	1.2	9.2	94	3.9	83	3.0	90	30
31	16.1	14.6	15.2	13.8	14.4	3.139	0.000	0.0	1009.5	1011.1	1.1	298	1.3	5.5	348	3.6	331	3.0	337	31
	19.1	14.3	16.5	12.7	14.3	2.522	1.074		1009.0	1010.6	2.0	209	2.3	< Monthly Avg						
NUMBER OF DAYS WITH:	>	Maximum Temp ≥ 32.2: 0	Minimum Temp ≤ 0: 0	Precipitation ≥ 0.2 mm: 13	Greatest 24 - hr precipitation: 15.2	Maximum Temp ≤ 0: 0	Minimum Temp ≤ -17.7: 0	Precipitation ≥ 2.0 mm: 11	Monthly Total Precipitation: 70.0	Date: 20-21										
SEA LEVEL PRESSURE:	>	MAXIMUM: 1024.9	DATE: 14	TIME: 15:06	MONTHLY TOTAL: 73.146	MINIMUM: 1000.7	DATE: 24	TIME: 09:19	DEGREEE DAYS: >	HEATING: 104.122	COOLING: 17.183	SEASON TO DATE TOTAL: 100.924								

**AUGUST 2025  
Nagu, Egentliga Finland FIN**

**SEPTEMBER 2025**  
**LOCAL CLIMATOLOGICAL DATA**  
 DAVIS INSTRUMENTS, WEATHERLINK NETWORK

**Nagu, Egentliga Finland FIN**  
**Seili new WS**



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	17.2	14.6	15.7	12.8	14.0	2.672	0.000	0.0	1014.7	1016.3	0.1	337	0.3	3.2	281	1.5	7	1.1	22	01
02	19.9	14.7	16.7	13.9	15.0	1.750	0.143	0.0	1014.4	1015.9	2.1	153	2.2	8.6	161	5.0	162	4.0	180	02
03	17.8	15.4	16.2	14.5	15.2	2.117	0.000	0.2	1010.1	1011.7	2.4	164	2.8	10.1	163	5.5	147	4.4	157	03
04	17.9	15.2	16.2	14.4	15.1	2.087	0.000	0.0	1014.7	1016.3	2.4	182	2.5	8.9	157	5.6	170	3.8	180	04
05	21.4	15.9	18.6	16.1	17.0	0.697	0.951	0.0	1017.2	1018.8	2.1	170	2.2	8.5	167	4.3	185	3.5	180	05
06	23.4	15.8	19.3	16.3	17.4	0.637	1.589	0.0	1019.4	1021.0	1.7	137	1.8	6.4	117	3.6	142	2.7	135	06
07	19.1	15.9	17.0	16.0	16.4	1.387	0.026	0.0	1022.9	1024.5	1.1	180	1.1	4.6	162	3.0	186	2.2	180	07
08	22.2	15.4	17.4	16.2	16.7	1.453	0.516	0.0	1024.6	1026.2	0.1	339	0.4	3.6	292	2.0	326	1.6	315	08
09	22.8	15.9	18.8	16.0	17.0	0.702	1.169	0.0	1023.2	1024.8	0.5	174	0.7	4.5	157	3.2	203	2.6	202	09
10	22.3	15.3	18.5	15.0	16.3	0.959	1.082	0.0	1022.7	1024.3	1.6	142	1.7	8.8	162	4.7	155	3.8	157	10
11	23.2	17.7	20.4	15.1	17.1	0.009	2.074	0.4	1015.2	1016.8	4.7	140	4.7	14.7	140	8.4	142	6.8	135	11
12	18.7	15.0	16.4	14.8	15.4	1.945	0.011	22.8	1013.4	1015.0	3.8	164	3.9	14.6	162	8.3	166	5.9	157	12
13	18.5	14.9	16.5	14.1	15.0	1.808	0.000	0.0	1019.1	1020.6	2.6	214	2.7	9.0	173	5.8	200	4.8	225	13
14	18.7	14.8	16.2	14.0	14.8	2.165	0.003	0.0	1017.2	1018.8	1.7	145	1.7	7.7	165	4.4	142	3.1	157	14
15	17.1	15.0	15.8	13.9	14.7	2.507	0.000	18.0	1004.4	1006.0	3.2	200	3.8	13.5	161	6.9	217	5.3	225	15
16	17.6	13.4	15.7	13.4	14.3	2.613	0.000	6.6	998.6	1000.2	4.0	200	4.1	12.4	224	7.9	211	6.1	202	16
17	16.8	13.4	14.8	13.0	13.7	3.546	0.000	2.2	998.2	999.8	2.0	229	2.0	9.3	198	5.4	193	4.1	202	17
18	17.9	13.5	14.9	12.8	13.7	3.411	0.000	0.4	1004.5	1006.1	1.5	226	1.5	7.5	225	4.3	243	3.5	225	18
19	16.2	12.3	14.2	12.2	13.0	4.172	0.000	3.8	1006.1	1007.7	1.2	316	1.7	8.3	340	4.4	336	3.6	337	19
20	19.0	13.9	16.7	14.8	15.5	1.679	0.011	0.4	1006.1	1007.7	2.7	233	2.8	10.4	240	5.7	229	4.5	225	20
21	19.6	16.2	17.3	15.2	16.0	1.172	0.113	2.0	1000.0	1001.6	3.8	225	3.8	13.4	225	8.7	225	6.8	225	21
22	16.8	9.9	13.4	8.7	10.9	4.878	0.000	0.4	1000.9	1002.5	2.6	271	2.9	11.2	247	5.6	257	4.7	270	22
23	12.0	8.2	10.4	5.7	8.1	7.916	0.000	2.4	1013.2	1014.8	3.9	2	4.1	14.8	292	8.2	20	6.5	360	23
24	12.7	7.4	10.1	5.9	8.0	8.244	0.000	3.2	1024.3	1025.9	2.2	10	2.3	10.9	329	6.8	4	5.4	22	24
25	14.7	10.4	12.6	9.2	10.8	5.725	0.000	0.0	1029.8	1031.4	1.4	319	1.6	8.0	337	4.5	321	3.4	337	25
26	15.7	10.5	13.0	9.9	11.3	5.292	0.000	0.0	1032.3	1033.9	1.1	340	1.2	7.0	352	4.1	343	3.2	337	26
27	16.6	10.3	13.2	9.6	11.2	5.153	0.000	0.0	1032.2	1033.8	0.6	46	0.7	4.2	97	2.0	53	1.5	67	27
28	16.1	9.9	12.7	9.0	10.7	5.676	0.000	0.0	1033.4	1035.0	1.0	139	1.2	7.3	142	4.8	147	3.5	135	28
29	11.4	8.8	10.1	6.1	8.2	8.209	0.000	0.0	1034.7	1036.4	2.0	148	2.0	9.7	165	5.1	166	3.8	180	29
30	11.9	8.1	9.5	4.5	7.1	8.857	0.000	0.0	1035.4	1037.0	1.4	153	1.5	6.8	144	4.1	157	3.2	180	30
	17.8	13.3	15.3	12.4	13.7	3.315	0.641		1016.8	1018.4	2.0	189	2.2	< Monthly Avg						
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 13 Precipitation ≥ 2.0 mm: 8				Greatest 24 - hr precipitation: 23.2 Date: 11-12 Monthly Total Precipitation: 62.8						
SEA LEVEL PRESSURE: >						MAXIMUM: 1038.2 MINIMUM: 995.4		DATE 30 TIME 23:38 02:23		DEGREEE DAYS: >				HEATING: 99.439 COOLING: 7.688		MONTHLY TOTAL 203.561 SEASON TO DATE TOTAL 108.612				

**SEPTEMBER 2025**  
**Nagu, Egentliga Finland FIN**

OCTOBER 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



Date	TEMPERATURE °C					DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND SPEED = m/s DIR = DEGREES						Date
	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL				WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED	DIR	
01	12.7	7.7	9.6	5.7	7.7	8.717	0.000	0.0	1036.1	1037.7	0.6	136	0.6	5.4	163	2.5	145	1.7	135	01
02	12.9	7.8	10.2	6.2	8.2	8.137	0.000	0.0	1033.2	1034.9	1.1	185	1.2	6.8	167	4.0	208	3.1	225	02
03	12.0	7.8	9.7	6.3	8.0	8.645	0.000	0.0	1028.1	1029.7	1.7	152	1.8	6.8	172	4.2	152	3.0	157	03
04	11.8	9.2	10.2	6.5	8.3	8.130	0.000	1.0	1011.5	1013.1	3.8	162	4.0	16.5	169	8.5	142	6.7	157	04
05	12.3	9.5	11.1	9.9	10.5	7.199	0.000	9.4	996.1	997.7	3.4	159	3.5	16.1	180	7.0	152	5.5	157	05
06	14.5	10.8	11.9	10.9	11.3	6.426	0.000	4.4	1006.5	1008.1	0.6	151	0.6	4.9	123	2.8	139	2.2	157	06
07	14.6	9.6	12.2	10.9	11.4	6.173	0.000	0.0	1016.8	1018.4	2.2	218	2.3	11.0	175	6.5	215	4.9	202	07
08	13.7	11.7	13.0	12.0	12.4	5.295	0.000	5.8	1011.2	1012.8	4.5	224	4.5	14.3	227	8.7	217	6.9	225	08
09	14.4	10.4	12.1	10.4	11.2	6.232	0.000	4.2	1008.2	1009.8	1.9	226	1.9	8.4	225	5.1	213	4.0	225	09
10	12.6	9.2	11.0	7.1	9.0	7.363	0.000	1.8	1006.4	1008.0	1.3	323	2.4	9.3	9	5.9	4	4.8	22	10
11	13.8	10.6	11.8	6.2	9.0	6.496	0.000	0.0	1007.8	1009.4	4.7	350	5.3	18.2	334	9.1	351	7.6	22	11
12	11.1	6.9	9.2	4.5	6.9	9.149	0.000	0.2	1010.4	1012.0	4.3	14	4.4	13.7	52	8.0	18	6.2	22	12
13	8.9	6.4	7.4	2.2	5.0	10.958	0.000	0.0	1015.1	1016.6	4.1	21	4.2	13.1	22	7.8	25	5.9	22	13
14	9.7	4.6	7.0	3.5	5.4	11.351	0.000	0.0	1016.9	1018.5	2.2	22	2.2	7.5	26	4.4	21	3.6	22	14
15	12.3	6.7	9.6	6.9	8.2	8.752	0.000	0.0	1012.6	1014.2	1.1	312	1.4	7.7	339	4.5	330	3.4	337	15
16	11.5	7.7	9.8	5.6	7.7	8.560	0.000	0.0	1007.3	1008.9	2.1	342	2.8	10.7	23	6.5	13	5.4	360	16
17	8.5	5.6	7.0	3.3	5.3	11.291	0.000	0.0	1012.1	1013.7	1.2	7	1.4	6.1	319	3.5	21	2.5	337	17
18	8.3	3.3	5.9	2.8	4.5	12.479	0.000	0.4	1019.6	1021.2	0.5	331	0.9	5.4	261	3.0	22	2.1	292	18
19	9.7	5.6	7.0	3.4	5.3	11.315	0.000	0.0	1016.5	1018.1	1.4	238	1.4	7.3	238	4.7	230	3.6	225	19
20	10.3	6.3	8.3	5.1	6.7	9.425	0.000	0.0	1012.6	1014.2	1.7	231	1.7	7.2	234	4.5	234	3.2	225	20
21	10.7	7.8	9.4	4.9	7.2	8.948	0.000	0.0	1007.5	1009.1	4.2	189	4.5	13.9	161	8.3	188	5.6	180	21
22	9.9	7.6	9.0	6.7	7.8	9.382	0.000	2.2	1003.2	1004.8	4.4	179	4.6	15.2	180	9.7	166	6.5	202	22
23	9.7	8.5	9.1	8.3	8.7	8.144	0.000	2.8	999.4	1001.0	2.8	151	3.0	7.2	157	5.7	149	4.3	157	23
24	9.6	8.6	8.9	8.2	8.5	9.398	0.000	0.6	995.6	997.2	2.8	137	2.9	9.0	162	5.4	146	4.0	157	24
25	11.4	9.6	10.8	10.3	10.5	7.581	0.000	6.0	990.7	992.2	2.1	138	2.2	8.0	157	4.3	144	3.3	135	25
26	11.0	7.6	9.3	8.5	8.9	9.405	0.000	7.8	986.9	988.5	0.7	218	1.2	6.9	138	3.8	147	3.0	135	26
27	9.1	6.8	8.1	6.6	7.3	10.261	0.000	8.0	985.3	986.8	1.6	180	1.9	8.6	161	5.1	227	4.3	225	27
28	9.7	5.6	7.1	5.9	6.5	11.279	0.000	0.8	988.6	990.2	0.6	150	0.7	5.9	153	3.7	149	2.9	135	28
29	8.1	4.7	6.3	5.3	5.8	12.027	0.000	0.0	995.4	997.0	0.2	144	0.6	4.6	273	1.9	241	1.3	247	29
30	9.2	6.6	8.1	6.8	7.4	10.216	0.000	8.0	999.5	1001.1	1.9	143	2.1	9.5	155	5.1	146	3.9	135	30
31	8.4	7.1	7.9	7.0	7.4	10.429	0.000	5.4	1005.7	1007.2	1.2	77	1.4	6.1	96	3.5	100	2.6	90	31
	11.0	7.7	9.3	6.7	8.0	9.005	0.000		1007.8	1009.4	2.2	177	2.4	< Monthly Avg						

NUMBER OF DAYS WITH: > Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0 Precipitation ≥ 0.2 mm: 17 Greatest 24 - hr precipitation: 13.0 Date: 30-31  
 Maximum Temp ≤ 0: 0 Minimum Temp ≤ -17.7: 0 Precipitation ≥ 2.0 mm: 11 Monthly Total Precipitation: 68.8

SEA LEVEL PRESSURE: > MAXIMUM: 1038.6 DATE 1 TIME 11:19 MONTHLY TOTAL 279.163 SEASON TO DATE TOTAL 482.724  
 MINIMUM: 984.6 DATE 27 TIME 05:19 DEGREE DAYS: > HEATING: 0.000 COOLING: 108.612

OCTOBER 2025 Nagu, Egentliga Finland FIN

**NOVEMBER 2025**  
**LOCAL CLIMATOLOGICAL DATA**  
 DAVIS INSTRUMENTS, WEATHERLINK NETWORK

**Nagu, Egentliga Finland FIN**  
**Seili new WS**



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES									
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						Date
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED	DIR	
01	9.6	6.4	7.7	6.1	6.9	10.633	0.000	1.2	1015.5	1017.1	0.5	175	1.0	9.1	163	4.7	174	3.8	180	01
02	10.8	8.0	9.4	8.0	8.7	8.973	0.000	3.4	1006.6	1008.2	2.6	182	3.0	13.9	180	7.1	181	5.5	180	02
03	10.3	7.1	9.7	8.4	9.0	5.112	0.000	0.0	1007.5	1009.1	1.8	227	1.9	6.6	242	3.7	258	3.7	247	03
04	12.6	7.6	10.3	9.3	9.8	7.716	0.000	0.4	1009.0	1010.6	3.6	223	3.6	11.1	238	7.1	212	5.8	225	04
05	12.6	10.8	11.5	10.4	10.9	6.733	0.000	3.2	1010.0	1011.6	3.6	229	3.7	9.7	246	6.4	229	5.1	225	05
06	10.9	10.4	10.6	9.9	10.3	2.001	0.000	0.0	1010.9	1012.5	1.7	229	1.8	6.1	237	4.6	232	3.7	225	06
07	11.3	8.8	10.5	10.1	10.3	7.482	0.000	0.6	1011.6	1013.2	1.2	225	1.3	5.5	229	3.7	215	3.0	225	07
08	9.6	8.4	9.1	8.0	8.5	6.352	0.000	0.0	1012.6	1014.2	1.2	213	1.3	5.3	165	3.7	218	2.8	202	08
09	8.1	7.5	7.7	6.1	7.0	1.662	0.000	0.0	1011.1	1012.7	1.3	240	1.6	5.0	236	4.6	229	3.7	270	09
10	7.6	6.9	7.2	6.6	6.9	5.089	0.000	0.2	1011.0	1012.6	0.1	219	0.4	2.1	210	1.7	212	1.2	247	10
11	8.3	5.5	6.8	6.1	6.4	5.062	0.000	0.4	1010.7	1012.3	0.8	189	1.1	5.3	232	4.3	221	4.1	202	11
12	10.7	7.8	9.3	7.9	8.6	9.006	0.000	12.6	1006.7	1008.3	4.9	225	5.0	19.7	157	11.5	211	9.8	225	12
13	11.2	4.9	8.7	6.7	7.8	9.584	0.000	1.8	993.7	995.3	2.6	253	4.6	15.6	225	9.9	220	8.6	225	13
14	5.7	1.6	4.4	0.0	2.6	13.867	0.000	1.2	1001.5	1003.1	2.9	337	3.2	12.8	319	7.5	327	5.3	337	14
15	5.4	-0.2	3.1	-1.1	1.4	15.227	0.000	0.2	1008.7	1010.3	2.7	322	3.7	13.6	328	8.4	343	6.3	337	15
16	5.7	3.1	4.5	1.3	3.1	13.827	0.000	0.0	997.4	999.0	2.7	251	2.8	12.0	257	5.9	246	4.6	225	16
17	4.9	0.6	3.7	1.4	2.9	6.451	0.000	0.0	996.4	998.0	1.0	19	1.3	5.8	50	4.5	38	3.9	360	17
18	0.7	-3.6	-2.5	-4.6	-3.2	11.677	0.000	0.0	1001.1	1002.7	0.9	35	1.3	5.2	51	4.5	351	4.5	360	18
19	1.2	-3.6	-0.7	-2.3	-1.3	19.082	0.000	0.0	1004.6	1006.2	2.0	139	2.1	8.1	155	4.9	142	3.7	135	19
20	4.4	1.1	2.9	1.8	2.4	15.501	0.000	5.8	1003.4	1005.0	1.2	156	1.4	8.3	157	4.9	148	3.8	135	20
21	4.3	-1.7	1.3	0.2	0.9	16.998	0.000	2.8	1006.7	1008.3	1.4	67	2.2	8.0	360	4.8	20	3.9	22	21
22	6.2	-1.5	3.0	0.6	2.0	15.339	0.000	2.0	1011.0	1012.6	3.0	231	3.1	12.1	180	7.4	237	5.7	225	22
23	7.2	5.8	6.6	3.1	5.0	11.763	0.000	0.0	1008.5	1010.1	4.0	230	4.1	12.2	162	6.7	232	5.5	225	23
24	6.2	3.2	4.2	0.8	2.7	14.138	0.000	0.0	1001.8	1003.4	1.0	251	1.2	7.0	11	4.6	10	3.3	225	24
25	4.6	-0.5	1.1	-1.5	0.1	17.247	0.000	0.0	1008.8	1010.4	1.1	25	1.4	7.4	27	5.0	359	4.0	337	25
26	2.3	-0.1	1.4	-1.4	0.3	16.952	0.000	0.0	1016.0	1017.6	0.9	236	1.0	5.7	294	3.7	293	2.6	270	26
27	6.1	1.4	3.7	0.7	2.5	14.639	0.000	0.8	1009.5	1011.1	3.2	228	3.2	12.9	248	7.7	232	6.3	225	27
28	9.2	5.7	7.6	6.3	6.9	10.794	0.000	2.8	1001.3	1002.9	5.3	227	5.3	15.0	248	8.8	224	7.4	225	28
29	8.6	8.1	8.3	6.1	7.2	10.034	0.000	0.0	1001.8	1003.4	5.6	227	5.6	14.9	238	8.9	229	6.8	225	29
30	8.4	5.0	6.6	5.1	5.9	11.689	0.000	0.8	1009.2	1010.8	2.5	212	2.8	12.0	163	7.4	201	5.6	202	30
	7.5	4.2	5.9	4.0	5.1	10.688	0.000		1006.8	1008.4	2.2	200	2.5	< Monthly Avg						
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ 0: 7 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 17 Precipitation ≥ 2.0 mm: 7				Greatest 24 - hr precipitation: 13.0 Date: 12-13 Monthly Total Precipitation: 40.2						
SEA LEVEL PRESSURE: >						MAXIMUM: 1018.8 MINIMUM: 992.5		DATE: 1 TIME: 12:27 13 14:10		DEGREEE DAYS: >				MONTHLY TOTAL HEATING: 320.629 COOLING: 0.000		SEASON TO DATE TOTAL 803.353 108.612				

**NOVEMBER 2025**  
**Nagu, Egentliga Finland FIN**

# DECEMBER 2025 LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

## Nagu, Egentliga Finland FIN Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	7.6	4.7	6.2	5.1	5.7	12.134	0.000	6.8	1006.3	1007.9	3.4	219	3.6	12.2	206	8.4	224	6.1	225	01
02	7.6	4.9	6.8	4.1	5.6	11.516	0.000	0.0	1013.6	1015.1	4.6	225	4.6	15.1	211	9.8	216	7.1	225	02
03	7.5	5.0	6.6	4.9	5.8	11.769	0.000	1.6	1016.5	1018.1	3.1	224	3.1	11.5	239	7.5	221	6.0	225	03
04	5.8	3.4	4.5	3.3	4.0	13.803	0.000	0.4	1015.7	1017.3	2.2	171	2.4	9.8	210	5.6	197	4.1	202	04
05	6.2	5.3	5.8	4.6	5.2	12.564	0.000	0.8	1018.0	1019.6	1.4	162	1.6	5.9	136	3.6	214	2.8	202	05
06	7.1	5.7	6.3	5.6	6.0	11.999	0.000	12.8	1014.1	1015.7	2.9	148	3.0	10.7	157	5.2	161	4.1	157	06
07	7.1	3.4	5.6	4.9	5.3	12.724	0.000	8.0	1012.4	1013.9	2.4	154	2.5	9.0	156	5.6	166	4.1	157	07
08	7.2	4.2	6.0	5.4	5.7	12.319	0.000	14.2	1005.8	1007.4	3.3	175	3.6	11.7	164	6.1	188	5.1	157	08
09	7.8	4.0	5.9	5.2	5.6	12.194	0.000	6.6	997.8	999.4	1.2	335	2.4	7.8	338	4.7	340	3.7	337	09
10	8.8	3.3	5.8	4.8	5.3	12.578	0.000	2.6	1002.2	1003.8	1.3	233	2.5	10.9	269	6.0	197	4.9	180	10
11	7.9	3.7	6.6	5.5	6.0	11.746	0.000	0.4	1000.6	1002.2	1.0	285	1.5	10.2	244	4.5	272	3.7	247	11
12	3.8	-3.1	-0.5	-3.2	-1.4	18.769	0.000	0.2	1019.2	1020.8	2.5	76	2.7	10.8	85	5.5	84	4.4	90	12
13	2.1	-2.5	-0.0	-3.7	-1.4	17.438	0.000	0.0	1023.0	1024.6	2.8	164	3.1	11.6	157	7.9	147	5.7	180	13
14	6.9	-0.2	3.1	2.4	2.8	12.724	0.000	5.2	1008.3	1009.9	2.2	178	3.3	11.6	240	6.8	219	5.6	225	14
15	7.8	6.5	7.1	6.3	6.8	11.077	0.000	0.0	1003.7	1005.3	2.7	234	2.7	10.1	228	4.9	248	4.3	225	15
16	7.3	6.1	6.7	5.5	6.1	9.936	0.000	0.4	1009.6	1011.2	2.2	239	2.2	6.7	225	4.7	257	4.6	225	16
17	7.4	5.4	6.8	5.6	6.2	11.581	0.000	2.4	1008.9	1010.5	3.0	236	3.2	12.6	216	8.0	225	6.0	225	17
18	8.2	3.3	5.7	4.5	5.1	12.689	0.000	0.0	1012.6	1014.2	3.1	225	3.3	14.3	246	8.2	228	6.5	225	18
19	8.3	6.4	7.4	6.2	6.8	10.958	0.000	0.6	1009.8	1011.4	4.5	225	4.5	16.8	213	9.7	220	7.6	225	19
20	8.2	5.9	7.1	5.4	6.3	11.239	0.000	0.0	1004.8	1006.4	2.7	240	2.8	11.3	220	5.3	241	4.2	247	20
21	6.9	4.2	5.7	3.4	4.7	12.623	0.000	0.0	1011.6	1013.2	3.4	355	3.6	14.4	340	7.8	330	6.3	337	21
22	4.8	-4.2	1.7	-0.1	1.0	16.557	0.000	0.0	1022.6	1024.2	1.7	49	2.1	8.7	73	5.3	80	4.0	90	22
23	0.2	-5.1	-4.0	-7.6	-5.1	22.330	0.000	0.0	1033.7	1035.3	0.9	82	1.5	8.3	69	4.2	103	3.3	90	23
24	4.3	0.1	2.0	0.2	1.3	16.345	0.000	0.0	1032.1	1033.7	2.9	332	3.0	9.4	360	6.0	327	4.6	337	24
25	8.1	4.2	5.8	3.4	4.7	12.518	0.000	0.0	1022.8	1024.4	2.6	323	3.2	13.0	337	7.5	328	6.2	337	25
26	7.8	4.3	5.8	4.4	5.2	12.483	0.000	0.0	1021.9	1023.5	2.3	351	2.5	8.9	22	5.8	17	4.6	22	26
27	6.3	2.3	4.3	0.8	2.9	13.990	0.000	0.6	1006.1	1007.7	5.2	357	6.1	23.4	32	14.4	19	10.7	22	27
28	5.1	0.1	2.2	-3.1	0.3	16.132	0.000	0.0	1008.4	1009.9	5.2	7	5.6	20.6	63	11.5	21	9.2	22	28
29	5.3	-2.6	0.1	-4.1	-1.4	18.257	0.000	0.0	998.1	999.6	5.6	13	5.8	17.2	27	9.6	11	7.4	22	29
30	-0.7	-4.8	-2.2	-7.6	-3.9	20.515	0.000	0.0	1004.3	1005.9	6.4	28	6.5	18.2	22	10.6	34	8.7	22	30
31	-3.6	-6.8	-4.8	-9.1	-6.1	23.152	0.000	0.0	1006.3	1007.9	0.9	28	1.1	6.7	67	4.0	69	3.1	67	31
														< Monthly Avg						
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0 Maximum Temp ≤ 0: 2				Minimum Temp ≤ 0: 8 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 16 Precipitation ≥ 2.0 mm: 8				Greatest 24 - hr precipitation: 16.8 Date: 8-9 Monthly Total Precipitation: 63.6								
SEA LEVEL PRESSURE: >		MAXIMUM: 1036.8 MINIMUM: 993.1		DATE 23 9		TIME 13:25 03:59		DEGREEE DAYS: >		HEATING: 436.656 COOLING: 0.000		MONTHLY TOTAL		SEASON TO DATE TOTAL						
												1240.009		108.612						

DECEMBER 2025  
Nagu, Egentliga Finland FIN

JANUARY 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	-2.8	-7.0	-4.2	-6.9	-5.1	22.561	0.000	0.0	990.3	991.8	3.7	135	3.8	15.3	157	8.6	146	6.5	135	01	
02	-3.4	-5.2	-4.3	-5.7	-4.8	22.608	0.000	0.0	981.2	982.8	3.6	93	3.7	10.8	131	5.8	84	5.1	90	02	
03	-4.7	-7.9	-5.7	-7.0	-6.1	23.982	0.000	0.0	988.4	989.9	4.1	90	4.1	10.7	67	6.5	85	5.0	90	03	
04	-7.7	-12.9	-10.7	-12.5	-11.2	29.039	0.000	0.0	998.9	1000.5	3.8	85	3.8	11.2	90	6.0	87	4.8	90	04	
05	-4.7	-12.9	-9.2	-10.7	-9.6	27.543	0.000	0.0	1013.2	1014.8	0.8	111	1.3	8.4	67	5.0	85	3.8	67	05	
06	-1.9	-6.3	-3.9	-5.4	-4.4	22.293	0.000	0.0	1014.5	1016.0	2.5	132	2.6	9.6	137	5.0	141	4.0	135	06	
07	-2.1	-5.8	-3.8	-5.0	-4.2	22.078	0.000	0.0	1013.6	1015.2	2.0	125	2.1	7.6	144	4.8	142	3.3	135	07	
08	-4.7	-10.1	-6.2	-7.9	-6.7	24.469	0.000	0.0	1017.8	1019.4	2.9	134	2.9	9.8	143	5.6	144	4.1	135	08	
09	-9.0	-13.3	-10.5	-12.7	-11.0	28.819	0.000	0.0	1021.2	1022.8	3.0	87	3.1	10.3	67	6.0	75	5.4	67	09	
10	-5.2	-9.9	-7.8	-10.4	-8.5	26.122	0.000	0.0	1013.3	1014.9	4.2	61	4.5	12.5	46	7.0	41	5.8	90	10	
11	-4.8	-6.8	-5.6	-7.6	-6.2	23.951	0.000	0.0	1013.3	1014.9	3.9	55	4.1	11.6	65	6.7	41	5.3	45	11	
12	-5.0	-7.9	-6.4	-8.2	-6.9	24.706	0.000	0.0	1017.4	1018.9	2.5	89	2.6	10.2	50	5.3	82	4.5	67	12	
13	-2.8	-6.9	-4.2	-5.7	-4.7	22.534	0.000	0.0	1018.7	1020.3	1.9	125	2.1	7.8	165	4.4	136	3.5	135	13	
14	-1.4	-5.3	-3.3	-4.9	-3.8	21.674	0.000	0.0	1015.9	1017.5	4.2	150	4.3	14.8	165	9.0	156	6.8	157	14	
15	2.6	-4.2	-0.5	-1.2	-0.8	18.867	0.000	1.8	1013.5	1015.1	2.9	165	3.1	13.0	180	7.7	155	6.5	157	15	
16	2.9	-0.6	1.3	-0.2	0.7	17.008	0.000	0.4	1022.9	1024.5	4.5	186	4.6	13.8	154	7.8	183	6.3	180	16	
17	3.6	-0.9	2.2	1.6	2.0	16.143	0.000	0.2	1028.3	1029.9	3.3	209	3.5	12.5	180	7.1	186	5.7	202	17	
18	3.2	1.2	2.1	1.8	2.0	16.196	0.000	0.2	1034.4	1036.0	1.8	209	1.9	6.7	241	4.4	217	3.5	202	18	
19	1.6	-0.3	0.7	-0.3	0.3	17.641	0.000	0.0	1031.2	1032.8	1.7	190	1.8	5.9	222	4.0	204	3.1	202	19	
20	0.7	-3.0	-1.4	-2.4	-1.8	19.742	0.000	0.0	1025.1	1026.7	1.6	149	1.8	6.4	167	3.9	170	3.0	135	20	
21	-1.3	-3.2	-2.3	-3.5	-2.7	20.608	0.000	0.0	1022.2	1023.8	2.1	94	2.1	8.5	22	4.6	89	3.6	90	21	
22	-2.4	-5.2	-3.8	-6.1	-4.6	22.153	0.000	0.0	1023.2	1024.8	2.5	97	2.6	9.8	161	5.3	146	3.5	90	22	
23	-5.1	-7.3	-6.3	-8.0	-6.8	24.572	0.000	0.0	1023.2	1024.8	1.8	92	1.8	6.5	86	3.6	88	2.6	90	23	
24	-6.1	-7.6	-6.9	-8.8	-7.4	25.279	0.000	0.0	1023.5	1025.1	1.3	133	1.4	5.8	145	3.6	144	2.6	135	24	
25	-5.9	-7.4	-6.6	-8.4	-7.1	24.971	0.000	0.0	1018.3	1019.8	1.8	147	1.8	6.3	135	4.4	149	3.0	180	25	
26	-2.4	-6.3	-4.9	-6.8	-5.5	23.231	0.000	0.0	1011.0	1012.5	0.9	56	1.2	6.4	41	3.7	34	2.9	67	26	
27	-5.7	-9.4	-7.4	-8.8	-7.8	25.746	0.000	0.0	1013.6	1015.2	1.4	93	1.5	6.4	103	3.3	87	2.7	67	27	
28	-9.0	-11.6	-10.3	-11.6	-10.6	28.596	0.000	0.0	1015.0	1016.5	1.7	96	1.7	6.8	131	3.4	88	2.6	90	28	
29	-7.2	-11.9	-9.4	-11.5	-9.9	27.773	0.000	0.0	1019.6	1021.2	1.7	97	1.8	8.5	67	4.3	89	2.9	90	29	
30	-7.4	-14.2	-11.0	-12.8	-11.4	29.349	0.000	0.0	1025.3	1026.9	1.0	116	1.0	4.1	80	2.6	144	1.8	135	30	
31	-10.3	-13.6	-12.4	-14.2	-12.8	30.707	0.000	0.0	1030.5	1032.1	1.4	120	1.5	6.7	135	3.9	141	2.9	135	31	
														< Monthly Avg							
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0				Minimum Temp ≤ 0: 30		Precipitation ≥ 0.2 mm: 4				Greatest 24 - hr precipitation: 2.2 Date: 15-16									
		Maximum Temp ≤ 0: 25				Minimum Temp ≤ -17.7: 0		Precipitation ≥ 2.0 mm: 0				Monthly Total Precipitation: 2.6									
SEA LEVEL PRESSURE: >		MAXIMUM: 1037.1		DATE: 18		TIME: 11:02		MONTHLY TOTAL		DEGREEE DAYS: >		HEATING: 730.958		SEASON TO DATE TOTAL		1970.967					
		MINIMUM: 981.3		DATE: 2		TIME: 07:17						COOLING: 0.000				0.000					

JANUARY 2026  
Nagu, Egentliga Finland FIN

FEBRUARY 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN  
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date								
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX													
														INSTANT		2 - MIN		ARCHIVE									
														SPEED	DIR	SPEED	DIR	SPEED		DIR							
01	-10.5	-16.6	-13.3	-15.1	-13.7	31.614	0.000	0.0	1032.3	1033.9	1.4	129	1.4	6.2	149	3.6	142	2.6	135	01							
02	-10.1	-17.5	-14.4	-18.3	-15.1	32.764	0.000	0.0	1028.6	1030.2	0.8	48	1.0	4.6	30	2.8	19	2.0	360	02							
03	-8.6	-15.7	-12.6	-15.1	-13.1	30.976	0.000	0.0	1028.0	1029.6	0.6	60	0.7	4.0	62	2.1	25	1.8	22	03							
04	-7.1	-12.8	-9.4	-11.4	-9.9	27.694	0.000	0.0	1026.6	1028.2	0.6	99	0.8	5.2	99	3.2	81	2.2	90	04							
05	-8.4	-14.7	-10.5	-12.1	-10.9	28.821	0.000	0.0	1019.2	1020.8	1.4	101	1.5	6.1	80	3.6	142	2.5	135	05							
06	-8.6	-18.6	-13.3	-15.5	-13.8	31.658	0.000	0.0	1013.6	1015.2	2.1	85	2.1	8.4	59	4.2	71	3.5	67	06							
07	-9.8	-15.9	-12.7	-15.0	-13.2	31.067	0.000	0.0	1017.1	1018.7	1.8	82	1.8	8.0	88	4.7	85	4.1	90	07							
08	-5.6	-11.6	-9.4	-10.7	-9.7	27.729	0.000	0.0	1023.8	1025.4	0.3	183	1.1	5.6	91	3.4	220	2.5	90	08							
09	-3.7	-6.7	-5.0	-7.3	-5.7	23.291	0.000	0.0	1013.9	1015.5	2.0	269	2.1	10.3	270	5.2	266	3.6	270	09							
10	-4.8	-6.7	-5.7	-7.8	-6.3	24.001	0.000	0.0	1003.6	1005.2	0.6	230	0.9	4.5	238	3.2	226	2.2	225	10							
11	-3.2	-5.3	-4.2	-5.3	-4.6	22.567	0.000	0.0	993.0	994.5	1.2	88	1.4	6.4	74	3.2	76	2.5	90	11							
12	-5.1	-13.2	-8.9	-10.5	-9.3	27.186	0.000	0.0	993.4	995.0	2.2	76	2.3	7.7	71	4.0	72	3.3	67	12							
13	-8.9	-15.1	-12.6	-14.4	-13.0	30.688	0.000	0.0	1001.7	1003.3	1.7	82	1.8	5.9	86	3.5	68	2.8	67	13							
14	-8.3	-18.1	-13.6	-16.5	-14.2	31.933	0.000	0.0	1010.9	1012.4	0.4	122	1.1	6.8	217	4.7	220	3.9	225	14							
15	-4.2	-11.8	-8.7	-10.4	-9.1	26.993	0.000	0.0	1013.5	1015.1	0.6	255	0.8	6.5	236	4.6	229	3.1	225	15							
16	-3.6	-12.4	-7.7	-9.1	-8.1	26.018	0.000	0.0	1011.6	1013.2	0.6	140	0.7	3.8	132	2.2	144	1.5	157	16							
17	-3.7	-12.9	-7.9	-9.7	-8.4	26.199	0.000	0.0	1013.6	1015.2	1.1	177	1.4	8.0	180	5.6	224	4.4	202	17							
18	-5.0	-13.1	-8.4	-10.7	-9.0	26.721	0.000	0.0	1012.1	1013.7	1.3	135	1.3	6.2	150	4.6	131	2.6	135	18							
19	-6.4	-12.9	-9.6	-11.7	-10.1	27.939	0.000	0.0	1010.9	1012.5	0.9	40	1.3	5.4	53	3.1	360	2.3	360	19							
20	-0.2	-14.6	-6.7	-9.8	-7.7	25.127	0.000	0.0	1013.4	1015.0	1.5	240	1.8	10.2	240	6.5	239	5.0	247	20							
21	0.8	-0.7	0.2	-1.1	-0.3	18.123	0.000	0.8	1003.1	1004.6	5.3	225	5.3	14.9	214	9.3	219	7.3	225	21							
22	0.3	-7.8	-3.2	-4.4	-3.6	21.534	0.000	0.0	1003.4	1005.0	0.4	331	0.6	4.8	329	2.7	6	2.0	360	22							
23	-1.7	-10.4	-6.0	-7.2	-6.3	24.293	0.000	0.0	1006.2	1007.7	0.4	129	0.5	3.4	135	1.9	144	1.5	135	23							
24	-3.2	-10.8	-7.1	-8.6	-7.5	25.417	0.000	0.0	1013.7	1015.2	0.9	76	0.9	4.2	55	2.1	79	1.7	90	24							
25	-0.7	-12.8	-6.9	-8.3	-7.3	25.312	0.000	0.0	1023.6	1025.2	0.8	177	1.2	9.1	213	5.9	211	4.7	225	25							
26	3.6	-0.9	1.2	0.5	0.9	17.118	0.000	3.2	1011.1	1012.7	5.9	220	5.9	15.6	210	9.8	213	7.8	202	26							
27	3.7	2.2	3.1	2.7	2.9	15.112	0.000	0.6	1005.5	1007.1	3.0	228	3.0	9.4	225	5.9	227	5.0	225	27							
28	3.3	-0.4	2.1	1.6	1.9	16.270	0.000	0.2	1012.4	1013.9	0.8	238	1.0	4.2	255	2.6	229	2.3	225	28							
	-4.3	-11.0	-7.5	-9.3	-8.0	25.863	0.000		1012.8	1014.4	1.5	152	1.6	< Monthly Avg													
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0	Minimum Temp ≤ 0: 27	Precipitation ≥ 0.2 mm: 4				Greatest 24 - hr precipitation: 4.0 Date: 26-27								Monthly Total Precipitation: 4.8							
						Maximum Temp ≤ 0: 23	Minimum Temp ≤ -17.7: 2	Precipitation ≥ 2.0 mm: 1																			
SEA LEVEL PRESSURE: >						MAXIMUM: 1034.8	DATE 1	TIME 11:12	DEGREEE DAYS: >				MONTHLY TOTAL 724.164	SEASON TO DATE TOTAL 2695.132						COOLING: 0.000		0.000					
						MINIMUM: 991.9	12	03:13																			

FEBRUARY 2026  
Nagu, Egentliga Finland FIN

MARCH 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	2.8	-0.3	1.2	0.9	1.1	17.135	0.000	3.2	1008.9	1010.5	1.2	193	1.9	8.5	166	4.4	219	3.3	225	01	
02	1.2	-1.6	0.2	-0.4	-0.1	18.152	0.000	0.2	1014.8	1016.4	2.3	338	2.4	8.8	348	5.4	340	4.8	315	02	
03	4.6	-2.7	1.2	0.2	0.8	17.186	0.000	0.0	1014.6	1016.2	2.9	221	3.4	13.5	219	8.3	223	7.0	225	03	
04	5.4	1.6	3.6	-0.9	1.8	14.735	0.000	0.0	1009.6	1011.2	3.5	331	3.9	14.6	329	9.4	336	7.8	337	04	
05	4.7	1.0	2.8	-0.1	1.6	15.569	0.000	0.0	1017.0	1018.5	2.0	330	2.2	7.3	352	4.6	330	4.1	337	05	
06	6.3	-0.9	2.5	-0.3	1.3	15.865	0.000	0.0	1018.8	1020.4	0.9	247	1.3	5.6	306	3.6	240	2.7	202	06	
07	6.2	-0.4	2.4	-0.1	1.4	15.915	0.000	0.0	1026.4	1028.1	0.6	311	0.7	3.7	331	2.1	303	1.7	315	07	
08	7.8	-1.8	2.4	0.2	1.4	15.989	0.000	0.0	1028.2	1029.8	0.9	253	1.2	5.7	213	3.8	222	3.1	225	08	
09	5.6	1.6	3.1	1.4	2.4	15.267	0.000	1.2	1018.5	1020.1	2.0	237	2.1	6.6	227	4.1	231	3.4	225	09	
10	8.1	0.8	3.3	1.2	2.4	15.004	0.000	0.0	1012.0	1013.6	2.4	220	2.4	7.8	223	6.0	220	4.9	225	10	
11	7.5	1.2	3.0	1.8	2.5	15.323	0.000	0.6	1006.9	1008.5	2.2	214	2.3	8.2	226	5.4	216	4.7	225	11	
12	6.3	1.9	3.7	2.6	3.2	14.611	0.000	2.4	1006.6	1008.2	3.6	220	3.7	11.7	163	8.4	216	6.7	225	12	
13	6.2	3.3	4.8	2.2	3.7	13.504	0.000	0.0	1004.2	1005.8	7.2	216	7.3	18.8	135	10.8	202	8.9	202	13	
14	7.2	2.3	4.9	2.8	3.9	13.471	0.000	1.2	1002.5	1004.1	3.1	191	3.2	10.8	168	6.2	202	5.2	202	14	
15	6.3	0.9	3.1	1.7	2.5	15.178	0.000	0.4	1006.2	1007.8	2.0	202	2.4	10.4	175	6.2	209	4.9	180	15	
16	3.3	-0.5	1.6	0.8	1.3	16.724	0.000	0.0	1012.5	1014.0	1.7	184	1.9	6.7	180	4.3	177	3.5	225	16	
17	2.3	0.9	1.6	1.1	1.4	16.734	0.000	1.2	1019.9	1021.5	1.9	217	2.1	9.5	219	6.0	221	4.6	225	17	
18	2.9	0.7	1.3	0.9	1.2	16.999	0.000	0.0	1025.4	1027.0	4.7	225	4.7	11.7	167	7.0	219	5.9	225	18	
19	6.2	1.2	4.0	2.0	3.1	14.356	0.000	0.0	1018.0	1019.5	1.3	277	2.1	8.1	216	5.2	221	4.3	225	19	
20	6.1	0.1	2.7	0.1	1.6	15.452	0.000	0.0	1018.9	1020.5	1.3	314	1.6	6.1	335	4.3	327	3.6	337	20	
21	7.5	1.7	4.5	1.0	3.0	13.800	0.000	0.0	1018.0	1019.6	4.0	225	4.0	13.5	234	8.4	220	6.9	225	21	
22	7.5	2.6	4.6	1.2	3.1	13.769	0.000	0.0	1015.5	1017.1	4.3	225	4.3	14.3	236	8.6	226	7.0	225	22	
23	6.6	2.3	3.9	1.0	2.7	14.438	0.000	0.0	1008.8	1010.4	3.4	228	3.4	11.6	247	6.7	233	6.0	225	23	
24	6.3	0.2	3.2	0.1	1.9	15.163	0.000	0.8	1004.1	1005.7	3.9	225	3.9	14.1	165	8.5	224	7.6	225	24	
25	5.0	3.1	4.2	2.9	3.6	14.118	0.000	1.8	987.7	989.3	5.1	208	5.3	17.0	236	11.0	214	8.8	225	25	
26	4.7	2.1	3.4	1.9	2.8	14.901	0.000	0.8	994.3	995.9	4.9	217	5.0	16.1	180	10.6	220	8.6	225	26	
27	8.6	0.8	4.1	0.9	2.7	14.192	0.000	0.0	1009.7	1011.3	1.4	237	1.8	6.1	310	4.3	229	2.9	225	27	
28	4.3	0.7	2.5	1.0	1.8	15.870	0.000	0.0	1013.4	1015.0	3.8	211	3.9	11.2	180	6.6	219	5.4	202	28	
29	4.6	1.8	2.9	1.8	2.4	14.800	0.000	0.2	1013.8	1015.3	3.2	219	3.3	9.8	180	5.7	233	4.6	225	29	
30	2.5	0.3	1.6	0.8	1.2	16.747	0.000	0.0	1010.3	1011.9	3.3	189	3.5	12.1	180	7.5	206	5.5	202	30	
31	4.6	-1.1	1.4	0.5	1.0	16.942	0.000	0.0	1013.9	1015.5	0.1	195	1.6	5.6	138	3.4	157	2.7	337	31	
														< Monthly Avg							
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0				Minimum Temp ≤ 0: 8		Precipitation ≥ 0.2 mm: 12				Greatest 24 - hr precipitation: 3.4 Date: 0-1									
		Maximum Temp ≤ 0: 0				Minimum Temp ≤ -17.7: 0		Precipitation ≥ 2.0 mm: 2				Monthly Total Precipitation: 14.0									
SEA LEVEL PRESSURE: >		MAXIMUM: 1031.9		DATE: 8		TIME: 00:43		DEGREE DAYS: >		HEATING: 477.911		MONTHLY TOTAL: 477.911		SEASON TO DATE TOTAL: 3173.042							
		MINIMUM: 985.9		DATE: 25		TIME: 21:27				COOLING: 0.000		MONTHLY TOTAL: 0.000		SEASON TO DATE TOTAL: 0.000							

MARCH 2026  
Nagu, Egentliga Finland FIN