

JUNE 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nauvo, Southwest Finland FIN
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 43 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
11	13.4	11.8	12.5	11.3	11.8	1.079	0.000	0.8	1009.4	1011.0	1.3	25	1.4	7.6	352	4.2	20	2.5	22	11	
12	15.9	10.4	12.6	10.3	11.3	5.694	0.000	6.8	1016.5	1018.1	3.0	16	3.1	10.8	21	7.2	22	5.8	22	12	
13	16.8	11.4	14.2	9.0	11.4	4.086	0.000	0.0	1026.1	1027.7	1.8	349	2.1	8.7	334	5.2	339	4.1	337	13	
14	20.7	11.1	15.9	8.2	11.7	2.781	0.342	0.0	1024.5	1026.1	0.9	313	1.1	4.8	314	3.1	301	2.5	337	14	
15	22.5	13.0	17.4	10.5	13.4	1.974	0.973	0.0	1015.7	1017.3	1.4	217	1.5	5.4	242	3.4	216	2.7	225	15	
16	20.0	13.2	16.2	12.5	14.0	2.346	0.197	0.0	1009.1	1010.7	1.1	212	1.4	5.4	213	3.8	214	3.1	225	16	
17	17.8	12.8	14.7	11.1	12.7	3.605	0.000	0.0	1008.1	1009.7	2.1	332	2.7	11.6	296	6.1	346	4.6	337	17	
18	16.9	12.9	14.6	11.2	12.7	3.718	0.000	0.4	1004.4	1006.0	2.0	331	2.6	12.0	349	7.0	343	5.4	337	18	
19	15.9	12.2	13.9	9.6	11.5	4.479	0.000	0.0	1005.3	1006.9	3.0	347	3.3	12.6	24	7.0	12	5.4	22	19	
20	17.1	11.8	14.3	8.2	11.0	4.012	0.000	0.0	1013.9	1015.5	3.1	2	3.4	11.2	360	6.3	345	5.4	337	20	
21	15.9	10.3	12.9	9.1	10.8	5.477	0.000	0.0	1010.0	1011.6	1.6	323	2.7	10.8	336	6.3	330	5.3	337	21	
22	19.1	10.7	14.7	7.9	11.0	3.616	0.004	0.0	1014.3	1015.9	1.9	10	2.3	8.9	11	5.4	30	4.2	22	22	
23	15.1	11.1	13.1	9.5	11.1	5.288	0.000	1.6	1004.8	1006.4	2.9	179	3.1	13.3	157	6.3	160	4.9	157	23	
24	14.4	12.2	12.9	11.9	12.3	5.397	0.000	11.0	987.0	988.6	2.2	209	2.7	10.3	157	6.1	200	4.4	157	24	
25	16.8	12.1	13.6	11.3	12.3	4.710	0.000	0.0	992.2	993.7	3.5	343	3.6	10.1	326	6.0	342	5.3	337	25	
26	18.6	11.7	15.0	10.0	12.2	3.293	0.004	0.0	1006.8	1008.4	1.8	340	2.0	7.1	5	4.1	360	3.5	22	26	
27	16.3	12.0	14.3	11.8	12.8	4.073	0.000	1.0	1005.0	1006.6	1.2	174	1.4	7.2	220	4.4	187	3.1	180	27	
28	16.4	12.7	14.3	11.6	12.7	4.067	0.000	0.0	1005.6	1007.2	0.7	306	2.0	7.9	213	4.6	223	3.6	337	28	
29	18.1	13.6	15.5	11.6	13.3	2.845	0.000	0.8	998.1	999.7	2.3	319	3.0	11.8	317	6.5	335	5.5	337	29	
30	18.2	13.3	15.2	10.4	12.5	3.119	0.000	0.0	1006.9	1008.5	4.2	348	4.3	12.5	315	7.0	343	5.7	337	30	
	17.3	12.0	14.4	10.3	12.1	3.783	0.304		1008.2	1009.8	2.1	234	2.5	< Monthly Avg							
NUMBER OF DAYS WITH:		>		Maximum Temp ≥ 32.2: 0		Minimum Temp ≤ 0: 0		Precipitation ≥ 0.2 mm: 7		Precipitation ≥ 2.0 mm: 2		Greatest 24 - hr precipitation: 11.0		Date: 23-24		Monthly Total Precipitation: 22.4					
SEA LEVEL PRESSURE:		>		MAXIMUM: 1029.0		DATE: 13		TIME: 12:33		DEGREEE DAYS: >		HEATING: 75.658		MONTHLY TOTAL: 75.658		SEASON TO DATE TOTAL: 75.658					
				MINIMUM: 987.1		DATE: 24		TIME: 23:52				COOLING: 1.521									

JUNE 2025
Nauvo, Southwest Finland FIN

JULY 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	21.2	13.9	17.1	10.3	13.2	1.752	0.531	0.0	1013.5	1015.1	2.0	333	2.2	7.4	340	4.4	311	3.7	337	01	
02	19.2	14.4	16.9	13.2	14.7	1.486	0.026	0.0	1012.0	1013.5	1.3	330	1.4	6.6	313	4.4	340	3.6	315	02	
03	19.8	11.4	16.2	13.5	14.6	2.223	0.088	0.8	1004.6	1006.2	1.5	217	2.2	16.7	315	8.1	327	5.4	337	03	
04	16.3	11.4	13.5	8.5	10.8	4.814	0.000	0.0	1010.7	1012.3	4.4	332	4.6	21.5	333	10.5	334	8.9	337	04	
05	17.1	11.9	13.9	11.8	12.7	4.404	0.000	6.0	1007.8	1009.4	1.8	207	2.0	9.3	225	5.6	218	4.7	225	05	
06	16.6	13.1	14.6	13.4	13.9	3.697	0.000	7.6	1000.2	1001.8	1.9	211	2.0	6.7	225	4.7	202	3.6	225	06	
07	19.4	14.0	15.5	14.0	14.5	2.917	0.039	0.0	1000.2	1001.8	1.2	220	1.8	7.4	211	4.3	217	3.7	225	07	
08	19.2	12.4	14.8	12.3	13.3	3.581	0.015	5.4	1000.9	1002.5	1.2	15	1.3	4.9	17	3.3	25	2.3	22	08	
09	21.3	11.3	16.9	10.9	13.4	2.174	0.687	0.0	1011.7	1013.3	1.0	4	1.3	6.6	329	3.9	334	2.9	337	09	
10	21.7	14.5	18.2	11.4	14.2	0.996	0.908	0.0	1015.4	1017.0	1.3	71	1.4	8.5	45	4.4	72	3.6	90	10	
11	19.8	15.5	17.3	13.5	15.0	1.257	0.192	4.8	1014.1	1015.7	1.9	80	2.0	9.1	41	5.0	85	3.4	90	11	
12	25.6	16.6	19.5	16.7	17.7	0.444	1.634	10.6	1015.3	1016.9	0.6	108	1.4	10.4	169	6.4	182	3.7	202	12	
13	22.1	15.3	18.2	16.6	17.1	0.987	0.848	0.0	1017.8	1019.4	0.9	305	1.2	5.1	352	3.2	327	2.4	337	13	
14	22.0	17.9	19.8	17.7	18.4	0.038	1.472	6.6	1015.1	1016.7	0.8	186	1.4	6.6	153	4.4	155	3.4	180	14	
15	25.0	17.3	20.6	18.1	18.9	0.203	2.484	0.0	1011.1	1012.7	1.2	317	1.4	7.1	318	3.8	323	3.3	337	15	
16	29.1	18.3	23.6	17.6	19.7	0.000	5.281	0.0	1007.6	1009.2	0.5	68	0.9	5.4	67	3.2	216	2.2	225	16	
17	29.7	18.9	24.5	16.1	19.0	0.000	6.107	0.0	1010.7	1012.3	0.8	45	0.9	4.4	61	2.5	46	1.9	45	17	
18	28.2	20.2	23.7	15.1	18.3	0.000	5.396	0.0	1014.4	1016.0	0.7	146	1.2	5.3	140	2.8	143	2.2	225	18	
19	27.1	18.1	22.8	14.5	17.6	0.002	4.429	0.0	1012.8	1014.4	0.3	23	1.0	3.9	360	2.8	197	2.1	225	19	
20	28.7	18.8	23.3	16.0	18.6	0.000	4.988	0.0	1010.3	1011.9	0.3	38	1.0	5.5	340	3.5	334	2.9	337	20	
21	27.9	19.6	23.0	17.2	19.2	0.000	4.665	1.2	1009.1	1010.7	0.7	82	0.9	8.2	146	4.6	146	3.0	135	21	
22	25.2	20.1	22.2	18.1	19.5	0.000	3.902	0.0	1008.3	1009.8	0.9	95	1.0	7.2	135	4.2	147	2.8	135	22	
23	28.3	18.6	22.6	18.4	19.8	0.000	4.328	6.6	1007.0	1008.6	0.5	83	1.1	8.9	157	4.9	147	2.7	157	23	
24	29.6	18.5	23.7	18.5	20.2	0.000	5.393	0.0	1008.8	1010.4	0.0	129	0.8	4.5	247	2.5	228	1.9	225	24	
25	27.5	20.1	23.7	18.6	20.3	0.000	5.383	0.0	1009.8	1011.4	1.2	208	1.3	6.0	216	4.0	219	2.8	202	25	
26	25.5	19.1	22.3	18.3	19.6	0.000	3.943	0.0	1008.6	1010.2	1.4	218	1.5	6.0	236	4.0	220	3.2	225	26	
27	25.2	19.2	22.1	18.4	19.6	0.000	3.718	0.0	1008.3	1009.9	1.5	191	1.6	8.2	234	5.4	219	4.2	225	27	
28	26.9	19.4	23.1	19.0	20.3	0.000	4.762	0.0	1006.6	1008.2	0.7	157	0.9	7.2	157	4.3	167	2.5	180	28	
29	23.9	18.6	22.1	19.0	20.0	0.000	3.786	2.8	1003.1	1004.7	2.9	152	3.2	11.8	160	6.3	145	5.1	157	29	
30	25.9	18.6	21.7	18.1	19.3	0.000	3.398	6.8	1009.2	1010.8	0.4	155	1.1	12.6	219	7.7	200	4.8	180	30	
31	25.1	19.5	22.2	19.0	20.0	0.000	3.820	0.2	1008.5	1010.1	0.8	177	1.7	7.0	231	5.1	226	3.6	225	31	
														< Monthly Avg							
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0				Minimum Temp ≤ 0: 0		Precipitation ≥ 0.2 mm: 12				Greatest 24 - hr precipitation: 13.6 Date: 5-6									
		Maximum Temp ≤ 0: 0				Minimum Temp ≤ -17.7: 0		Precipitation ≥ 2.0 mm: 9				Monthly Total Precipitation: 59.4									
SEA LEVEL PRESSURE: >		MAXIMUM: 1020.7		DATE: 13		TIME: 06:03		MONTHLY TOTAL		SEASON TO DATE TOTAL		DEGREEE DAYS: >		HEATING: 30.977		30.977		COOLING: 82.221		83.741	
		MINIMUM: 998.7		8		06:07															

JULY 2025
Nagu, Egentliga Finland FIN

AUGUST 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	26.2	18.7	21.5	18.3	19.4	0.000	3.133	8.2	1004.5	1006.1	0.8	130	1.5	6.8	168	4.2	198	3.0	135	01
02	22.0	17.2	19.5	15.7	17.1	0.187	1.349	0.0	1007.5	1009.1	2.6	208	2.7	8.9	226	5.6	191	4.2	202	02
03	23.3	18.3	20.9	16.8	18.2	0.000	2.543	0.0	1014.4	1016.0	1.9	180	2.0	7.6	157	4.6	197	3.4	202	03
04	24.2	18.2	21.2	17.8	19.0	0.003	2.848	4.0	1011.1	1012.7	2.2	183	2.6	11.6	180	7.5	192	4.2	180	04
05	19.9	16.4	18.6	15.4	16.6	0.223	0.458	6.0	1004.4	1006.0	3.8	215	3.9	12.4	226	6.9	221	5.3	225	05
06	18.6	15.6	17.4	12.0	14.2	0.976	0.007	0.0	1003.0	1004.5	4.5	226	4.5	14.6	242	9.7	224	6.9	225	06
07	19.7	15.8	17.8	13.4	15.1	0.872	0.301	0.0	1008.7	1010.3	2.5	228	2.5	8.9	180	5.6	220	4.6	225	07
08	20.3	15.8	17.7	14.1	15.5	0.927	0.252	0.8	1012.4	1013.9	1.6	222	1.7	6.2	219	4.2	218	3.2	225	08
09	21.2	16.6	18.3	14.8	16.1	0.579	0.517	0.0	1014.3	1015.9	2.7	220	2.7	8.5	225	5.8	214	4.6	225	09
10	21.4	16.4	18.6	14.2	15.9	0.611	0.838	0.0	1012.7	1014.3	1.1	259	1.5	6.8	331	3.6	338	2.9	315	10
11	19.5	16.4	18.0	12.3	14.6	0.545	0.177	0.0	1015.4	1017.0	1.8	342	2.0	7.9	341	4.6	324	3.5	337	11
12	20.5	15.9	17.5	13.1	14.9	1.018	0.202	0.0	1014.2	1015.8	1.4	319	1.9	9.7	9	5.5	334	4.5	337	12
13	21.4	16.0	18.5	13.3	15.4	0.712	0.858	0.0	1019.5	1021.1	1.2	222	1.4	6.3	225	4.2	212	3.1	202	13
14	23.4	16.4	19.8	15.4	17.0	0.469	1.923	0.0	1022.3	1023.9	1.7	202	1.8	7.4	233	4.4	218	3.5	202	14
15	23.4	15.6	19.9	16.4	17.7	0.033	1.657	0.0	1015.0	1016.6	3.4	209	3.7	13.9	180	8.6	203	6.7	225	15
16	16.6	11.9	14.7	10.6	12.3	3.663	0.000	7.4	1004.6	1006.2	4.7	343	5.0	16.5	315	9.0	331	7.0	337	16
17	18.4	11.8	14.7	11.7	12.9	3.607	0.000	0.8	1007.3	1008.9	2.9	18	3.0	11.9	342	7.3	9	5.8	360	17
18	19.4	13.2	16.2	10.7	13.1	2.251	0.118	0.0	1013.9	1015.5	2.3	356	2.7	8.7	346	4.9	16	4.0	22	18
19	17.0	13.8	15.5	11.3	13.1	2.790	0.000	0.0	1007.6	1009.2	2.1	354	2.5	10.9	336	5.5	336	4.3	337	19
20	16.7	11.4	14.0	8.0	10.8	4.339	0.000	0.0	1007.5	1009.1	2.3	13	2.5	9.8	315	5.6	343	4.5	22	20
21	16.1	10.6	12.5	9.1	10.6	5.796	0.000	15.2	1006.3	1007.9	0.8	280	1.2	7.5	24	4.6	360	3.8	337	21
22	14.7	10.0	12.1	8.5	10.2	6.261	0.000	3.8	1003.5	1005.1	0.3	357	0.7	6.7	21	4.2	32	3.2	22	22
23	16.8	11.1	13.5	8.8	10.9	4.869	0.000	0.0	1001.4	1003.0	1.9	21	2.3	9.1	318	5.8	336	4.7	337	23
24	15.7	11.8	13.2	9.6	11.2	5.145	0.000	3.4	1000.5	1002.1	2.2	3	2.5	11.6	11	6.7	3	5.4	360	24
25	18.0	11.4	13.0	9.1	10.9	5.296	0.000	3.8	1002.9	1004.5	2.3	18	2.4	13.6	52	7.8	31	5.0	22	25
26	16.3	11.2	13.8	9.8	11.6	4.588	0.000	6.2	1005.8	1007.4	1.7	358	1.8	8.9	315	4.1	347	3.2	22	26
27	16.8	11.1	13.8	10.0	11.7	4.569	0.000	0.0	1010.4	1012.0	1.0	329	1.5	7.2	315	3.8	330	3.1	337	27
28	18.3	12.2	15.4	12.5	13.7	2.934	0.000	0.0	1010.6	1012.2	1.2	196	1.3	6.6	205	4.3	208	3.2	225	28
29	15.6	14.1	14.9	13.5	14.1	3.408	0.000	5.0	1005.6	1007.2	2.0	116	2.2	8.3	76	4.5	87	3.7	90	29
30	15.7	14.2	15.0	14.1	14.5	3.334	0.000	5.4	1002.9	1004.5	0.6	76	1.2	9.2	94	3.9	83	3.0	90	30
31	16.1	14.6	15.2	13.8	14.4	3.139	0.000	0.0	1009.5	1011.1	1.1	298	1.3	5.5	348	3.6	331	3.0	337	31
	19.1	14.3	16.5	12.7	14.3	2.522	1.074		1009.0	1010.6	2.0	209	2.3	< Monthly Avg						
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0 Maximum Temp ≤ 0: 0				Minimum Temp ≤ 0: 0 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 13 Precipitation ≥ 2.0 mm: 11		Greatest 24 - hr precipitation: 15.2 Date: 20-21 Monthly Total Precipitation: 70.0										
SEA LEVEL PRESSURE: >		MAXIMUM: 1024.9 MINIMUM: 1000.7		DATE 14 15:06 24 09:19		DEGREEE DAYS: >		HEATING: 73.146 COOLING: 17.183		MONTHLY TOTAL		SEASON TO DATE TOTAL								

**AUGUST 2025
Nagu, Egentliga Finland FIN**

SEPTEMBER 2025
LOCAL CLIMATOLOGICAL DATA
 DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	17.2	14.6	15.7	12.8	14.0	2.672	0.000	0.0	1014.7	1016.3	0.1	337	0.3	3.2	281	1.5	7	1.1	22	01	
02	19.9	14.7	16.7	13.9	15.0	1.750	0.143	0.0	1014.4	1015.9	2.1	153	2.2	8.6	161	5.0	162	4.0	180	02	
03	17.8	15.4	16.2	14.5	15.2	2.117	0.000	0.2	1010.1	1011.7	2.4	164	2.8	10.1	163	5.5	147	4.4	157	03	
04	17.9	15.2	16.2	14.4	15.1	2.087	0.000	0.0	1014.7	1016.3	2.4	182	2.5	8.9	157	5.6	170	3.8	180	04	
05	21.4	15.9	18.6	16.1	17.0	0.697	0.951	0.0	1017.2	1018.8	2.1	170	2.2	8.5	167	4.3	185	3.5	180	05	
06	23.4	15.8	19.3	16.3	17.4	0.637	1.589	0.0	1019.4	1021.0	1.7	137	1.8	6.4	117	3.6	142	2.7	135	06	
07	19.1	15.9	17.0	16.0	16.4	1.387	0.026	0.0	1022.9	1024.5	1.1	180	1.1	4.6	162	3.0	186	2.2	180	07	
08	22.2	15.4	17.4	16.2	16.7	1.453	0.516	0.0	1024.6	1026.2	0.1	339	0.4	3.6	292	2.0	326	1.6	315	08	
09	22.8	15.9	18.8	16.0	17.0	0.702	1.169	0.0	1023.2	1024.8	0.5	174	0.7	4.5	157	3.2	203	2.6	202	09	
10	22.3	15.3	18.5	15.0	16.3	0.959	1.082	0.0	1022.7	1024.3	1.6	142	1.7	8.8	162	4.7	155	3.8	157	10	
11	23.2	17.7	20.4	15.1	17.1	0.009	2.074	0.4	1015.2	1016.8	4.7	140	4.7	14.7	140	8.4	142	6.8	135	11	
12	18.7	15.0	16.4	14.8	15.4	1.945	0.011	22.8	1013.4	1015.0	3.8	164	3.9	14.6	162	8.3	166	5.9	157	12	
13	18.5	14.9	16.5	14.1	15.0	1.808	0.000	0.0	1019.1	1020.6	2.6	214	2.7	9.0	173	5.8	200	4.8	225	13	
14	18.7	14.8	16.2	14.0	14.8	2.165	0.003	0.0	1017.2	1018.8	1.7	145	1.7	7.7	165	4.4	142	3.1	157	14	
15	17.1	15.0	15.8	13.9	14.7	2.507	0.000	18.0	1004.4	1006.0	3.2	200	3.8	13.5	161	6.9	217	5.3	225	15	
16	17.6	13.4	15.7	13.4	14.3	2.613	0.000	6.6	998.6	1000.2	4.0	200	4.1	12.4	224	7.9	211	6.1	202	16	
17	16.8	13.4	14.8	13.0	13.7	3.546	0.000	2.2	998.2	999.8	2.0	229	2.0	9.3	198	5.4	193	4.1	202	17	
18	17.9	13.5	14.9	12.8	13.7	3.411	0.000	0.4	1004.5	1006.1	1.5	226	1.5	7.5	225	4.3	243	3.5	225	18	
19	16.2	12.3	14.2	12.2	13.0	4.172	0.000	3.8	1006.1	1007.7	1.2	316	1.7	8.3	340	4.4	336	3.6	337	19	
20	19.0	13.9	16.7	14.8	15.5	1.679	0.011	0.4	1006.1	1007.7	2.7	233	2.8	10.4	240	5.7	229	4.5	225	20	
21	19.6	16.2	17.3	15.2	16.0	1.172	0.113	2.0	1000.0	1001.6	3.8	225	3.8	13.4	225	8.7	225	6.8	225	21	
22	16.8	9.9	13.4	8.7	10.9	4.878	0.000	0.4	1000.9	1002.5	2.6	271	2.9	11.2	247	5.6	257	4.7	270	22	
23	12.0	8.2	10.4	5.7	8.1	7.916	0.000	2.4	1013.2	1014.8	3.9	2	4.1	14.8	292	8.2	20	6.5	360	23	
24	12.7	7.4	10.1	5.9	8.0	8.244	0.000	3.2	1024.3	1025.9	2.2	10	2.3	10.9	329	6.8	4	5.4	22	24	
25	14.7	10.4	12.6	9.2	10.8	5.725	0.000	0.0	1029.8	1031.4	1.4	319	1.6	8.0	337	4.5	321	3.4	337	25	
26	15.7	10.5	13.0	9.9	11.3	5.292	0.000	0.0	1032.3	1033.9	1.1	340	1.2	7.0	352	4.1	343	3.2	337	26	
27	16.6	10.3	13.2	9.6	11.2	5.153	0.000	0.0	1032.2	1033.8	0.6	46	0.7	4.2	97	2.0	53	1.5	67	27	
28	16.1	9.9	12.7	9.0	10.7	5.676	0.000	0.0	1033.4	1035.0	1.0	139	1.2	7.3	142	4.8	147	3.5	135	28	
29	11.4	8.8	10.1	6.1	8.2	8.209	0.000	0.0	1034.7	1036.4	2.0	148	2.0	9.7	165	5.1	166	3.8	180	29	
30	11.9	8.1	9.5	4.5	7.1	8.857	0.000	0.0	1035.4	1037.0	1.4	153	1.5	6.8	144	4.1	157	3.2	180	30	
	17.8	13.3	15.3	12.4	13.7	3.315	0.641		1016.8	1018.4	2.0	189	2.2	< Monthly Avg							
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 13 Precipitation ≥ 2.0 mm: 8				Greatest 24 - hr precipitation: 23.2 Date: 11-12 Monthly Total Precipitation: 62.8							
SEA LEVEL PRESSURE: >						MAXIMUM: 1038.2 MINIMUM: 995.4		DATE 30 17		TIME 23:38 02:23		DEGREEE DAYS: >		HEATING: 99.439 COOLING: 7.688		MONTHLY TOTAL		SEASON TO DATE TOTAL			

SEPTEMBER 2025
Nagu, Egentliga Finland FIN

OCTOBER 2025

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES									
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						Date
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED	DIR	
01	12.7	7.7	9.6	5.7	7.7	8.717	0.000	0.0	1036.1	1037.7	0.6	136	0.6	5.4	163	2.5	145	1.7	135	01
02	12.9	7.8	10.2	6.2	8.2	8.137	0.000	0.0	1033.2	1034.9	1.1	185	1.2	6.8	167	4.0	208	3.1	225	02
03	12.0	7.8	9.7	6.3	8.0	8.645	0.000	0.0	1028.1	1029.7	1.7	152	1.8	6.8	172	4.2	152	3.0	157	03
04	11.8	9.2	10.2	6.5	8.3	8.130	0.000	1.0	1011.5	1013.1	3.8	162	4.0	16.5	169	8.5	142	6.7	157	04
05	12.3	9.5	11.1	9.9	10.5	7.199	0.000	9.4	996.1	997.7	3.4	159	3.5	16.1	180	7.0	152	5.5	157	05
06	14.5	10.8	11.9	10.9	11.3	6.426	0.000	4.4	1006.5	1008.1	0.6	151	0.6	4.9	123	2.8	139	2.2	157	06
07	14.6	9.6	12.2	10.9	11.4	6.173	0.000	0.0	1016.8	1018.4	2.2	218	2.3	11.0	175	6.5	215	4.9	202	07
08	13.7	11.7	13.0	12.0	12.4	5.295	0.000	5.8	1011.2	1012.8	4.5	224	4.5	14.3	227	8.7	217	6.9	225	08
09	14.4	10.4	12.1	10.4	11.2	6.232	0.000	4.2	1008.2	1009.8	1.9	226	1.9	8.4	225	5.1	213	4.0	225	09
10	12.6	9.2	11.0	7.1	9.0	7.363	0.000	1.8	1006.4	1008.0	1.3	323	2.4	9.3	9	5.9	4	4.8	22	10
11	13.8	10.6	11.8	6.2	9.0	6.496	0.000	0.0	1007.8	1009.4	4.7	350	5.3	18.2	334	9.1	351	7.6	22	11
12	11.1	6.9	9.2	4.5	6.9	9.149	0.000	0.2	1010.4	1012.0	4.3	14	4.4	13.7	52	8.0	18	6.2	22	12
13	8.9	6.4	7.4	2.2	5.0	10.958	0.000	0.0	1015.1	1016.6	4.1	21	4.2	13.1	22	7.8	25	5.9	22	13
14	9.7	4.6	7.0	3.5	5.4	11.351	0.000	0.0	1016.9	1018.5	2.2	22	2.2	7.5	26	4.4	21	3.6	22	14
15	12.3	6.7	9.6	6.9	8.2	8.752	0.000	0.0	1012.6	1014.2	1.1	312	1.4	7.7	339	4.5	330	3.4	337	15
16	11.5	7.7	9.8	5.6	7.7	8.560	0.000	0.0	1007.3	1008.9	2.1	342	2.8	10.7	23	6.5	13	5.4	360	16
17	8.5	5.6	7.0	3.3	5.3	11.291	0.000	0.0	1012.1	1013.7	1.2	7	1.4	6.1	319	3.5	21	2.5	337	17
18	8.3	3.3	5.9	2.8	4.5	12.479	0.000	0.4	1019.6	1021.2	0.5	331	0.9	5.4	261	3.0	22	2.1	292	18
19	9.7	5.6	7.0	3.4	5.3	11.315	0.000	0.0	1016.5	1018.1	1.4	238	1.4	7.3	238	4.7	230	3.6	225	19
20	10.3	6.3	8.3	5.1	6.7	9.425	0.000	0.0	1012.6	1014.2	1.7	231	1.7	7.2	234	4.5	234	3.2	225	20
21	10.7	7.8	9.4	4.9	7.2	8.948	0.000	0.0	1007.5	1009.1	4.2	189	4.5	13.9	161	8.3	188	5.6	180	21
22	9.9	7.6	9.0	6.7	7.8	9.382	0.000	2.2	1003.2	1004.8	4.4	179	4.6	15.2	180	9.7	166	6.5	202	22
23	9.7	8.5	9.1	8.3	8.7	8.144	0.000	2.8	999.4	1001.0	2.8	151	3.0	7.2	157	5.7	149	4.3	157	23
24	9.6	8.6	8.9	8.2	8.5	9.398	0.000	0.6	995.6	997.2	2.8	137	2.9	9.0	162	5.4	146	4.0	157	24
25	11.4	9.6	10.8	10.3	10.5	7.581	0.000	6.0	990.7	992.2	2.1	138	2.2	8.0	157	4.3	144	3.3	135	25
26	11.0	7.6	9.3	8.5	8.9	9.405	0.000	7.8	986.9	988.5	0.7	218	1.2	6.9	138	3.8	147	3.0	135	26
27	9.1	6.8	8.1	6.6	7.3	10.261	0.000	8.0	985.3	986.8	1.6	180	1.9	8.6	161	5.1	227	4.3	225	27
28	9.7	5.6	7.1	5.9	6.5	11.279	0.000	0.8	988.6	990.2	0.6	150	0.7	5.9	153	3.7	149	2.9	135	28
29	8.1	4.7	6.3	5.3	5.8	12.027	0.000	0.0	995.4	997.0	0.2	144	0.6	4.6	273	1.9	241	1.3	247	29
30	9.2	6.6	8.1	6.8	7.4	10.216	0.000	8.0	999.5	1001.1	1.9	143	2.1	9.5	155	5.1	146	3.9	135	30
31	8.4	7.1	7.9	7.0	7.4	10.429	0.000	5.4	1005.7	1007.2	1.2	77	1.4	6.1	96	3.5	100	2.6	90	31
	11.0	7.7	9.3	6.7	8.0	9.005	0.000		1007.8	1009.4	2.2	177	2.4	< Monthly Avg						

NUMBER OF DAYS WITH: > Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0 Precipitation ≥ 0.2 mm: 17 Greatest 24 - hr precipitation: 13.0 Date: 30-31
 Maximum Temp ≤ 0: 0 Minimum Temp ≤ -17.7: 0 Precipitation ≥ 2.0 mm: 11 Monthly Total Precipitation: 68.8

SEA LEVEL PRESSURE: > MAXIMUM: 1038.6 DATE 1 TIME 11:19 MONTHLY TOTAL 279.163 SEASON TO DATE TOTAL 482.724
 MINIMUM: 984.6 DATE 27 TIME 05:19 DEGREE DAYS: > HEATING: 0.000 COOLING: 108.612

OCTOBER 2025 Nagu, Egentliga Finland FIN

NOVEMBER 2025
LOCAL CLIMATOLOGICAL DATA
 DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES									
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						Date
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED	DIR	
01	9.6	6.4	7.7	6.1	6.9	10.633	0.000	1.2	1015.5	1017.1	0.5	175	1.0	9.1	163	4.7	174	3.8	180	01
02	10.8	8.0	9.4	8.0	8.7	8.973	0.000	3.4	1006.6	1008.2	2.6	182	3.0	13.9	180	7.1	181	5.5	180	02
03	10.3	7.1	9.7	8.4	9.0	5.112	0.000	0.0	1007.5	1009.1	1.8	227	1.9	6.6	242	3.7	258	3.7	247	03
04	12.6	7.6	10.3	9.3	9.8	7.716	0.000	0.4	1009.0	1010.6	3.6	223	3.6	11.1	238	7.1	212	5.8	225	04
05	12.6	10.8	11.5	10.4	10.9	6.733	0.000	3.2	1010.0	1011.6	3.6	229	3.7	9.7	246	6.4	229	5.1	225	05
06	10.9	10.4	10.6	9.9	10.3	2.001	0.000	0.0	1010.9	1012.5	1.7	229	1.8	6.1	237	4.6	232	3.7	225	06
07	11.3	8.8	10.5	10.1	10.3	7.482	0.000	0.6	1011.6	1013.2	1.2	225	1.3	5.5	229	3.7	215	3.0	225	07
08	9.6	8.4	9.1	8.0	8.5	6.352	0.000	0.0	1012.6	1014.2	1.2	213	1.3	5.3	165	3.7	218	2.8	202	08
09	8.1	7.5	7.7	6.1	7.0	1.662	0.000	0.0	1011.1	1012.7	1.3	240	1.6	5.0	236	4.6	229	3.7	270	09
10	7.6	6.9	7.2	6.6	6.9	5.089	0.000	0.2	1011.0	1012.6	0.1	219	0.4	2.1	210	1.7	212	1.2	247	10
11	8.3	5.5	6.8	6.1	6.4	5.062	0.000	0.4	1010.7	1012.3	0.8	189	1.1	5.3	232	4.3	221	4.1	202	11
12	10.7	7.8	9.3	7.9	8.6	9.006	0.000	12.6	1006.7	1008.3	4.9	225	5.0	19.7	157	11.5	211	9.8	225	12
13	11.2	4.9	8.7	6.7	7.8	9.584	0.000	1.8	993.7	995.3	2.6	253	4.6	15.6	225	9.9	220	8.6	225	13
14	5.7	1.6	4.4	0.0	2.6	13.867	0.000	1.2	1001.5	1003.1	2.9	337	3.2	12.8	319	7.5	327	5.3	337	14
15	5.4	-0.2	3.1	-1.1	1.4	15.227	0.000	0.2	1008.7	1010.3	2.7	322	3.7	13.6	328	8.4	343	6.3	337	15
16	5.7	3.1	4.5	1.3	3.1	13.827	0.000	0.0	997.4	999.0	2.7	251	2.8	12.0	257	5.9	246	4.6	225	16
17	4.9	0.6	3.7	1.4	2.9	6.451	0.000	0.0	996.4	998.0	1.0	19	1.3	5.8	50	4.5	38	3.9	360	17
18	0.7	-3.6	-2.5	-4.6	-3.2	11.677	0.000	0.0	1001.1	1002.7	0.9	35	1.3	5.2	51	4.5	351	4.5	360	18
19	1.2	-3.6	-0.7	-2.3	-1.3	19.082	0.000	0.0	1004.6	1006.2	2.0	139	2.1	8.1	155	4.9	142	3.7	135	19
20	4.4	1.1	2.9	1.8	2.4	15.501	0.000	5.8	1003.4	1005.0	1.2	156	1.4	8.3	157	4.9	148	3.8	135	20
21	4.3	-1.7	1.3	0.2	0.9	16.998	0.000	2.8	1006.7	1008.3	1.4	67	2.2	8.0	360	4.8	20	3.9	22	21
22	6.2	-1.5	3.0	0.6	2.0	15.339	0.000	2.0	1011.0	1012.6	3.0	231	3.1	12.1	180	7.4	237	5.7	225	22
23	7.2	5.8	6.6	3.1	5.0	11.763	0.000	0.0	1008.5	1010.1	4.0	230	4.1	12.2	162	6.7	232	5.5	225	23
24	6.2	3.2	4.2	0.8	2.7	14.138	0.000	0.0	1001.8	1003.4	1.0	251	1.2	7.0	11	4.6	10	3.3	225	24
25	4.6	-0.5	1.1	-1.5	0.1	17.247	0.000	0.0	1008.8	1010.4	1.1	25	1.4	7.4	27	5.0	359	4.0	337	25
26	2.3	-0.1	1.4	-1.4	0.3	16.952	0.000	0.0	1016.0	1017.6	0.9	236	1.0	5.7	294	3.7	293	2.6	270	26
27	6.1	1.4	3.7	0.7	2.5	14.639	0.000	0.8	1009.5	1011.1	3.2	228	3.2	12.9	248	7.7	232	6.3	225	27
28	9.2	5.7	7.6	6.3	6.9	10.794	0.000	2.8	1001.3	1002.9	5.3	227	5.3	15.0	248	8.8	224	7.4	225	28
29	8.6	8.1	8.3	6.1	7.2	10.034	0.000	0.0	1001.8	1003.4	5.6	227	5.6	14.9	238	8.9	229	6.8	225	29
30	8.4	5.0	6.6	5.1	5.9	11.689	0.000	0.8	1009.2	1010.8	2.5	212	2.8	12.0	163	7.4	201	5.6	202	30
	7.5	4.2	5.9	4.0	5.1	10.688	0.000		1006.8	1008.4	2.2	200	2.5	< Monthly Avg						
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ 0: 7 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 17 Precipitation ≥ 2.0 mm: 7				Greatest 24 - hr precipitation: 13.0 Date: 12-13 Monthly Total Precipitation: 40.2						
SEA LEVEL PRESSURE: >						MAXIMUM: 1018.8 MINIMUM: 992.5		DATE 1 12:27 13 14:10		DEGREEE DAYS: >				MONTHLY TOTAL HEATING: 320.629 COOLING: 0.000		SEASON TO DATE TOTAL 803.353 108.612				

NOVEMBER 2025
Nagu, Egentliga Finland FIN

DECEMBER 2025 LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	7.6	4.7	6.2	5.1	5.7	12.134	0.000	6.8	1006.3	1007.9	3.4	219	3.6	12.2	206	8.4	224	6.1	225	01
02	7.6	4.9	6.8	4.1	5.6	11.516	0.000	0.0	1013.6	1015.1	4.6	225	4.6	15.1	211	9.8	216	7.1	225	02
03	7.5	5.0	6.6	4.9	5.8	11.769	0.000	1.6	1016.5	1018.1	3.1	224	3.1	11.5	239	7.5	221	6.0	225	03
04	5.8	3.4	4.5	3.3	4.0	13.803	0.000	0.4	1015.7	1017.3	2.2	171	2.4	9.8	210	5.6	197	4.1	202	04
05	6.2	5.3	5.8	4.6	5.2	12.564	0.000	0.8	1018.0	1019.6	1.4	162	1.6	5.9	136	3.6	214	2.8	202	05
06	7.1	5.7	6.3	5.6	6.0	11.999	0.000	12.8	1014.1	1015.7	2.9	148	3.0	10.7	157	5.2	161	4.1	157	06
07	7.1	3.4	5.6	4.9	5.3	12.724	0.000	8.0	1012.4	1013.9	2.4	154	2.5	9.0	156	5.6	166	4.1	157	07
08	7.2	4.2	6.0	5.4	5.7	12.319	0.000	14.2	1005.8	1007.4	3.3	175	3.6	11.7	164	6.1	188	5.1	157	08
09	7.8	4.0	5.9	5.2	5.6	12.194	0.000	6.6	997.8	999.4	1.2	335	2.4	7.8	338	4.7	340	3.7	337	09
10	8.8	3.3	5.8	4.8	5.3	12.578	0.000	2.6	1002.2	1003.8	1.3	233	2.5	10.9	269	6.0	197	4.9	180	10
11	7.9	3.7	6.6	5.5	6.0	11.746	0.000	0.4	1000.6	1002.2	1.0	285	1.5	10.2	244	4.5	272	3.7	247	11
12	3.8	-3.1	-0.5	-3.2	-1.4	18.769	0.000	0.2	1019.2	1020.8	2.5	76	2.7	10.8	85	5.5	84	4.4	90	12
13	2.1	-2.5	-0.0	-3.7	-1.4	17.438	0.000	0.0	1023.0	1024.6	2.8	164	3.1	11.6	157	7.9	147	5.7	180	13
14	6.9	-0.2	3.1	2.4	2.8	12.724	0.000	5.2	1008.3	1009.9	2.2	178	3.3	11.6	240	6.8	219	5.6	225	14
15	7.8	6.5	7.1	6.3	6.8	11.077	0.000	0.0	1003.7	1005.3	2.7	234	2.7	10.1	228	4.9	248	4.3	225	15
16	7.3	6.1	6.7	5.5	6.1	9.936	0.000	0.4	1009.6	1011.2	2.2	239	2.2	6.7	225	4.7	257	4.6	225	16
17	7.4	5.4	6.8	5.6	6.2	11.581	0.000	2.4	1008.9	1010.5	3.0	236	3.2	12.6	216	8.0	225	6.0	225	17
18	8.2	3.3	5.7	4.5	5.1	12.689	0.000	0.0	1012.6	1014.2	3.1	225	3.3	14.3	246	8.2	228	6.5	225	18
19	8.3	6.4	7.4	6.2	6.8	10.958	0.000	0.6	1009.8	1011.4	4.5	225	4.5	16.8	213	9.7	220	7.6	225	19
20	8.2	5.9	7.1	5.4	6.3	11.239	0.000	0.0	1004.8	1006.4	2.7	240	2.8	11.3	220	5.3	241	4.2	247	20
21	6.9	4.2	5.7	3.4	4.7	12.623	0.000	0.0	1011.6	1013.2	3.4	355	3.6	14.4	340	7.8	330	6.3	337	21
22	4.8	-4.2	1.7	-0.1	1.0	16.557	0.000	0.0	1022.6	1024.2	1.7	49	2.1	8.7	73	5.3	80	4.0	90	22
23	0.2	-5.1	-4.0	-7.6	-5.1	22.330	0.000	0.0	1033.7	1035.3	0.9	82	1.5	8.3	69	4.2	103	3.3	90	23
24	4.3	0.1	2.0	0.2	1.3	16.345	0.000	0.0	1032.1	1033.7	2.9	332	3.0	9.4	360	6.0	327	4.6	337	24
25	8.1	4.2	5.8	3.4	4.7	12.518	0.000	0.0	1022.8	1024.4	2.6	323	3.2	13.0	337	7.5	328	6.2	337	25
26	7.8	4.3	5.8	4.4	5.2	12.483	0.000	0.0	1021.9	1023.5	2.3	351	2.5	8.9	22	5.8	17	4.6	22	26
27	6.3	2.3	4.3	0.8	2.9	13.990	0.000	0.6	1006.1	1007.7	5.2	357	6.1	23.4	32	14.4	19	10.7	22	27
28	5.1	0.1	2.2	-3.1	0.3	16.132	0.000	0.0	1008.4	1009.9	5.2	7	5.6	20.6	63	11.5	21	9.2	22	28
29	5.3	-2.6	0.1	-4.1	-1.4	18.257	0.000	0.0	998.1	999.6	5.6	13	5.8	17.2	27	9.6	11	7.4	22	29
30	-0.7	-4.8	-2.2	-7.6	-3.9	20.515	0.000	0.0	1004.3	1005.9	6.4	28	6.5	18.2	22	10.6	34	8.7	22	30
31	-3.6	-6.8	-4.8	-9.1	-6.1	23.152	0.000	0.0	1006.3	1007.9	0.9	28	1.1	6.7	67	4.0	69	3.1	67	31
														< Monthly Avg						
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0 Maximum Temp ≤ 0: 2				Minimum Temp ≤ 0: 8 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 16 Precipitation ≥ 2.0 mm: 8				Greatest 24 - hr precipitation: 16.8 Date: 8-9 Monthly Total Precipitation: 63.6								
SEA LEVEL PRESSURE: >		MAXIMUM: 1036.8 MINIMUM: 993.1		DATE 23 9		TIME 13:25 03:59		DEGREEE DAYS: >		HEATING: 436.656 COOLING: 0.000		MONTHLY TOTAL		SEASON TO DATE TOTAL						
												1240.009		108.612						

DECEMBER 2025
Nagu, Egentliga Finland FIN

JANUARY 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	-2.8	-7.0	-4.2	-6.9	-5.1	22.561	0.000	0.0	990.3	991.8	3.7	135	3.8	15.3	157	8.6	146	6.5	135	01	
02	-3.4	-5.2	-4.3	-5.7	-4.8	22.608	0.000	0.0	981.2	982.8	3.6	93	3.7	10.8	131	5.8	84	5.1	90	02	
03	-4.7	-7.9	-5.7	-7.0	-6.1	23.982	0.000	0.0	988.4	989.9	4.1	90	4.1	10.7	67	6.5	85	5.0	90	03	
04	-7.7	-12.9	-10.7	-12.5	-11.2	29.039	0.000	0.0	998.9	1000.5	3.8	85	3.8	11.2	90	6.0	87	4.8	90	04	
05	-4.7	-12.9	-9.2	-10.7	-9.6	27.543	0.000	0.0	1013.2	1014.8	0.8	111	1.3	8.4	67	5.0	85	3.8	67	05	
06	-1.9	-6.3	-3.9	-5.4	-4.4	22.293	0.000	0.0	1014.5	1016.0	2.5	132	2.6	9.6	137	5.0	141	4.0	135	06	
07	-2.1	-5.8	-3.8	-5.0	-4.2	22.078	0.000	0.0	1013.6	1015.2	2.0	125	2.1	7.6	144	4.8	142	3.3	135	07	
08	-4.7	-10.1	-6.2	-7.9	-6.7	24.469	0.000	0.0	1017.8	1019.4	2.9	134	2.9	9.8	143	5.6	144	4.1	135	08	
09	-9.0	-13.3	-10.5	-12.7	-11.0	28.819	0.000	0.0	1021.2	1022.8	3.0	87	3.1	10.3	67	6.0	75	5.4	67	09	
10	-5.2	-9.9	-7.8	-10.4	-8.5	26.122	0.000	0.0	1013.3	1014.9	4.2	61	4.5	12.5	46	7.0	41	5.8	90	10	
11	-4.8	-6.8	-5.6	-7.6	-6.2	23.951	0.000	0.0	1013.3	1014.9	3.9	55	4.1	11.6	65	6.7	41	5.3	45	11	
12	-5.0	-7.9	-6.4	-8.2	-6.9	24.706	0.000	0.0	1017.4	1018.9	2.5	89	2.6	10.2	50	5.3	82	4.5	67	12	
13	-2.8	-6.9	-4.2	-5.7	-4.7	22.534	0.000	0.0	1018.7	1020.3	1.9	125	2.1	7.8	165	4.4	136	3.5	135	13	
14	-1.4	-5.3	-3.3	-4.9	-3.8	21.674	0.000	0.0	1015.9	1017.5	4.2	150	4.3	14.8	165	9.0	156	6.8	157	14	
15	2.6	-4.2	-0.5	-1.2	-0.8	18.867	0.000	1.8	1013.5	1015.1	2.9	165	3.1	13.0	180	7.7	155	6.5	157	15	
16	2.9	-0.6	1.3	-0.2	0.7	17.008	0.000	0.4	1022.9	1024.5	4.5	186	4.6	13.8	154	7.8	183	6.3	180	16	
17	3.6	-0.9	2.2	1.6	2.0	16.143	0.000	0.2	1028.3	1029.9	3.3	209	3.5	12.5	180	7.1	186	5.7	202	17	
18	3.2	1.2	2.1	1.8	2.0	16.196	0.000	0.2	1034.4	1036.0	1.8	209	1.9	6.7	241	4.4	217	3.5	202	18	
19	1.6	-0.3	0.7	-0.3	0.3	17.641	0.000	0.0	1031.2	1032.8	1.7	190	1.8	5.9	222	4.0	204	3.1	202	19	
20	0.7	-3.0	-1.4	-2.4	-1.8	19.742	0.000	0.0	1025.1	1026.7	1.6	149	1.8	6.4	167	3.9	170	3.0	135	20	
21	-1.3	-3.2	-2.3	-3.5	-2.7	20.608	0.000	0.0	1022.2	1023.8	2.1	94	2.1	8.5	22	4.6	89	3.6	90	21	
22	-2.4	-5.2	-3.8	-6.1	-4.6	22.153	0.000	0.0	1023.2	1024.8	2.5	97	2.6	9.8	161	5.3	146	3.5	90	22	
23	-5.1	-7.3	-6.3	-8.0	-6.8	24.572	0.000	0.0	1023.2	1024.8	1.8	92	1.8	6.5	86	3.6	88	2.6	90	23	
24	-6.1	-7.6	-6.9	-8.8	-7.4	25.279	0.000	0.0	1023.5	1025.1	1.3	133	1.4	5.8	145	3.6	144	2.6	135	24	
25	-5.9	-7.4	-6.6	-8.4	-7.1	24.971	0.000	0.0	1018.3	1019.8	1.8	147	1.8	6.3	135	4.4	149	3.0	180	25	
26	-2.4	-6.3	-4.9	-6.8	-5.5	23.231	0.000	0.0	1011.0	1012.5	0.9	56	1.2	6.4	41	3.7	34	2.9	67	26	
27	-5.7	-9.4	-7.4	-8.8	-7.8	25.746	0.000	0.0	1013.6	1015.2	1.4	93	1.5	6.4	103	3.3	87	2.7	67	27	
28	-9.0	-11.6	-10.3	-11.6	-10.6	28.596	0.000	0.0	1015.0	1016.5	1.7	96	1.7	6.8	131	3.4	88	2.6	90	28	
29	-7.2	-11.9	-9.4	-11.5	-9.9	27.773	0.000	0.0	1019.6	1021.2	1.7	97	1.8	8.5	67	4.3	89	2.9	90	29	
30	-7.4	-14.2	-11.0	-12.8	-11.4	29.349	0.000	0.0	1025.3	1026.9	1.0	116	1.0	4.1	80	2.6	144	1.8	135	30	
31	-10.3	-13.6	-12.4	-14.2	-12.8	30.707	0.000	0.0	1030.5	1032.1	1.4	120	1.5	6.7	135	3.9	141	2.9	135	31	
														< Monthly Avg							
NUMBER OF DAYS WITH: >		Maximum Temp ≥ 32.2: 0				Minimum Temp ≤ 0: 30		Precipitation ≥ 0.2 mm: 4		Greatest 24 - hr precipitation: 2.2 Date: 15-16											
		Maximum Temp ≤ 0: 25				Minimum Temp ≤ -17.7: 0		Precipitation ≥ 2.0 mm: 0		Monthly Total Precipitation: 2.6											
SEA LEVEL PRESSURE: >		MAXIMUM: 1037.1		DATE: 18		TIME: 11:02		MONTHLY TOTAL		SEASON TO DATE TOTAL		DEGREEE DAYS: >		HEATING: 730.958		1970.967		COOLING: 0.000		0.000	
		MINIMUM: 981.3		2		07:17															

JANUARY 2026
Nagu, Egentliga Finland FIN

FEBRUARY 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date							
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX												
														INSTANT		2 - MIN		ARCHIVE								
														SPEED	DIR	SPEED	DIR	SPEED		DIR						
01	-10.5	-16.6	-13.3	-15.1	-13.7	31.614	0.000	0.0	1032.3	1033.9	1.4	129	1.4	6.2	149	3.6	142	2.6	135	01						
02	-10.1	-17.5	-14.4	-18.3	-15.1	32.764	0.000	0.0	1028.6	1030.2	0.8	48	1.0	4.6	30	2.8	19	2.0	360	02						
03	-8.6	-15.7	-12.6	-15.1	-13.1	30.976	0.000	0.0	1028.0	1029.6	0.6	60	0.7	4.0	62	2.1	25	1.8	22	03						
04	-7.1	-12.8	-9.4	-11.4	-9.9	27.694	0.000	0.0	1026.6	1028.2	0.6	99	0.8	5.2	99	3.2	81	2.2	90	04						
05	-8.4	-14.7	-10.5	-12.1	-10.9	28.821	0.000	0.0	1019.2	1020.8	1.4	101	1.5	6.1	80	3.6	142	2.5	135	05						
06	-8.6	-18.6	-13.3	-15.5	-13.8	31.658	0.000	0.0	1013.6	1015.2	2.1	85	2.1	8.4	59	4.2	71	3.5	67	06						
07	-9.8	-15.9	-12.7	-15.0	-13.2	31.067	0.000	0.0	1017.1	1018.7	1.8	82	1.8	8.0	88	4.7	85	4.1	90	07						
08	-5.6	-11.6	-9.4	-10.7	-9.7	27.729	0.000	0.0	1023.8	1025.4	0.3	183	1.1	5.6	91	3.4	220	2.5	90	08						
09	-3.7	-6.7	-5.0	-7.3	-5.7	23.291	0.000	0.0	1013.9	1015.5	2.0	269	2.1	10.3	270	5.2	266	3.6	270	09						
10	-4.8	-6.7	-5.7	-7.8	-6.3	24.001	0.000	0.0	1003.6	1005.2	0.6	230	0.9	4.5	238	3.2	226	2.2	225	10						
11	-3.2	-5.3	-4.2	-5.3	-4.6	22.567	0.000	0.0	993.0	994.5	1.2	88	1.4	6.4	74	3.2	76	2.5	90	11						
12	-5.1	-13.2	-8.9	-10.5	-9.3	27.186	0.000	0.0	993.4	995.0	2.2	76	2.3	7.7	71	4.0	72	3.3	67	12						
13	-8.9	-15.1	-12.6	-14.4	-13.0	30.688	0.000	0.0	1001.7	1003.3	1.7	82	1.8	5.9	86	3.5	68	2.8	67	13						
14	-8.3	-18.1	-13.6	-16.5	-14.2	31.933	0.000	0.0	1010.9	1012.4	0.4	122	1.1	6.8	217	4.7	220	3.9	225	14						
15	-4.2	-11.8	-8.7	-10.4	-9.1	26.993	0.000	0.0	1013.5	1015.1	0.6	255	0.8	6.5	236	4.6	229	3.1	225	15						
16	-3.6	-12.4	-7.7	-9.1	-8.1	26.018	0.000	0.0	1011.6	1013.2	0.6	140	0.7	3.8	132	2.2	144	1.5	157	16						
17	-3.7	-12.9	-7.9	-9.7	-8.4	26.199	0.000	0.0	1013.6	1015.2	1.1	177	1.4	8.0	180	5.6	224	4.4	202	17						
18	-5.0	-13.1	-8.4	-10.7	-9.0	26.721	0.000	0.0	1012.1	1013.7	1.3	135	1.3	6.2	150	4.6	131	2.6	135	18						
19	-6.4	-12.9	-9.6	-11.7	-10.1	27.939	0.000	0.0	1010.9	1012.5	0.9	40	1.3	5.4	53	3.1	360	2.3	360	19						
20	-0.2	-14.6	-6.7	-9.8	-7.7	25.127	0.000	0.0	1013.4	1015.0	1.5	240	1.8	10.2	240	6.5	239	5.0	247	20						
21	0.8	-0.7	0.2	-1.1	-0.3	18.123	0.000	0.8	1003.1	1004.6	5.3	225	5.3	14.9	214	9.3	219	7.3	225	21						
22	0.3	-7.8	-3.2	-4.4	-3.6	21.534	0.000	0.0	1003.4	1005.0	0.4	331	0.6	4.8	329	2.7	6	2.0	360	22						
23	-1.7	-10.4	-6.0	-7.2	-6.3	24.293	0.000	0.0	1006.2	1007.7	0.4	129	0.5	3.4	135	1.9	144	1.5	135	23						
24	-3.2	-10.8	-7.1	-8.6	-7.5	25.417	0.000	0.0	1013.7	1015.2	0.9	76	0.9	4.2	55	2.1	79	1.7	90	24						
25	-0.7	-12.8	-6.9	-8.3	-7.3	25.312	0.000	0.0	1023.6	1025.2	0.8	177	1.2	9.1	213	5.9	211	4.7	225	25						
26	3.6	-0.9	1.2	0.5	0.9	17.118	0.000	3.2	1011.1	1012.7	5.9	220	5.9	15.6	210	9.8	213	7.8	202	26						
27	3.7	2.2	3.1	2.7	2.9	15.112	0.000	0.6	1005.5	1007.1	3.0	228	3.0	9.4	225	5.9	227	5.0	225	27						
28	3.3	-0.4	2.1	1.6	1.9	16.270	0.000	0.2	1012.4	1013.9	0.8	238	1.0	4.2	255	2.6	229	2.3	225	28						
	-4.3	-11.0	-7.5	-9.3	-8.0	25.863	0.000		1012.8	1014.4	1.5	152	1.6	< Monthly Avg												
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0	Minimum Temp ≤ 0: 27	Precipitation ≥ 0.2 mm: 4				Greatest 24 - hr precipitation: 4.0 Date: 26-27														
						Maximum Temp ≤ 0: 23	Minimum Temp ≤ -17.7: 2	Precipitation ≥ 2.0 mm: 1				Monthly Total Precipitation: 4.8														
SEA LEVEL PRESSURE: >						MAXIMUM: 1034.8	DATE 1	TIME 11:12	DEGREEE DAYS: >				MONTHLY TOTAL 724.164	SEASON TO DATE TOTAL 2695.132												
						MINIMUM: 991.9	12	03:13					COOLING: 0.000	0.000												

FEBRUARY 2026
Nagu, Egentliga Finland FIN

MARCH 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date	
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX						
														INSTANT		2 - MIN		ARCHIVE		
														SPEED	DIR	SPEED	DIR	SPEED		DIR
01	2.8	-0.3	1.2	0.9	1.1	17.135	0.000	3.2	1008.9	1010.5	1.2	193	1.9	8.5	166	4.4	219	3.3	225	01
02	1.2	-1.6	0.2	-0.4	-0.1	18.152	0.000	0.2	1014.8	1016.4	2.3	338	2.4	8.8	348	5.4	340	4.8	315	02
03	4.6	-2.7	1.2	0.2	0.8	17.186	0.000	0.0	1014.6	1016.2	2.9	221	3.4	13.5	219	8.3	223	7.0	225	03
04	5.4	1.6	3.6	-0.9	1.8	14.735	0.000	0.0	1009.6	1011.2	3.5	331	3.9	14.6	329	9.4	336	7.8	337	04
05	4.7	1.0	2.8	-0.1	1.6	15.569	0.000	0.0	1017.0	1018.5	2.0	330	2.2	7.3	352	4.6	330	4.1	337	05
06	6.3	-0.9	2.5	-0.3	1.3	15.865	0.000	0.0	1018.8	1020.4	0.9	247	1.3	5.6	306	3.6	240	2.7	202	06
07	6.2	-0.4	2.4	-0.1	1.4	15.915	0.000	0.0	1026.4	1028.1	0.6	311	0.7	3.7	331	2.1	303	1.7	315	07
08	7.8	-1.8	2.4	0.2	1.4	15.989	0.000	0.0	1028.2	1029.8	0.9	253	1.2	5.7	213	3.8	222	3.1	225	08
09	5.6	1.6	3.1	1.4	2.4	15.267	0.000	1.2	1018.5	1020.1	2.0	237	2.1	6.6	227	4.1	231	3.4	225	09
10	8.1	0.8	3.3	1.2	2.4	15.004	0.000	0.0	1012.0	1013.6	2.4	220	2.4	7.8	223	6.0	220	4.9	225	10
11	7.5	1.2	3.0	1.8	2.5	15.323	0.000	0.6	1006.9	1008.5	2.2	214	2.3	8.2	226	5.4	216	4.7	225	11
12	6.3	1.9	3.7	2.6	3.2	14.611	0.000	2.4	1006.6	1008.2	3.6	220	3.7	11.7	163	8.4	216	6.7	225	12
13	6.2	3.3	4.8	2.2	3.7	13.504	0.000	0.0	1004.2	1005.8	7.2	216	7.3	18.8	135	10.8	202	8.9	202	13
14	7.2	2.3	4.9	2.8	3.9	13.471	0.000	1.2	1002.5	1004.1	3.1	191	3.2	10.8	168	6.2	202	5.2	202	14
15	6.3	0.9	3.1	1.7	2.5	15.178	0.000	0.4	1006.2	1007.8	2.0	202	2.4	10.4	175	6.2	209	4.9	180	15
16	3.3	-0.5	1.6	0.8	1.3	16.724	0.000	0.0	1012.5	1014.0	1.7	184	1.9	6.7	180	4.3	177	3.5	225	16
17	2.3	0.9	1.6	1.1	1.4	16.734	0.000	1.2	1019.9	1021.5	1.9	217	2.1	9.5	219	6.0	221	4.6	225	17
18	2.9	0.7	1.3	0.9	1.2	16.999	0.000	0.0	1025.4	1027.0	4.7	225	4.7	11.7	167	7.0	219	5.9	225	18
19	6.2	1.2	4.0	2.0	3.1	14.356	0.000	0.0	1018.0	1019.5	1.3	277	2.1	8.1	216	5.2	221	4.3	225	19
20	6.1	0.1	2.7	0.1	1.6	15.452	0.000	0.0	1018.9	1020.5	1.3	314	1.6	6.1	335	4.3	327	3.6	337	20
21	7.5	1.7	4.5	1.0	3.0	13.800	0.000	0.0	1018.0	1019.6	4.0	225	4.0	13.5	234	8.4	220	6.9	225	21
22	7.5	2.6	4.6	1.2	3.1	13.769	0.000	0.0	1015.5	1017.1	4.3	225	4.3	14.3	236	8.6	226	7.0	225	22
23	6.6	2.3	3.9	1.0	2.7	14.438	0.000	0.0	1008.8	1010.4	3.4	228	3.4	11.6	247	6.7	233	6.0	225	23
24	6.3	0.2	3.2	0.1	1.9	15.163	0.000	0.8	1004.1	1005.7	3.9	225	3.9	14.1	165	8.5	224	7.6	225	24
25	5.0	3.1	4.2	2.9	3.6	14.118	0.000	1.8	987.7	989.3	5.1	208	5.3	17.0	236	11.0	214	8.8	225	25
26	4.7	2.1	3.4	1.9	2.8	14.901	0.000	0.8	994.3	995.9	4.9	217	5.0	16.1	180	10.6	220	8.6	225	26
27	8.6	0.8	4.1	0.9	2.7	14.192	0.000	0.0	1009.7	1011.3	1.4	237	1.8	6.1	310	4.3	229	2.9	225	27
28	4.3	0.7	2.5	1.0	1.8	15.870	0.000	0.0	1013.4	1015.0	3.8	211	3.9	11.2	180	6.6	219	5.4	202	28
29	4.6	1.8	2.9	1.8	2.4	14.800	0.000	0.2	1013.8	1015.3	3.2	219	3.3	9.8	180	5.7	233	4.6	225	29
30	2.5	0.3	1.6	0.8	1.2	16.747	0.000	0.0	1010.3	1011.9	3.3	189	3.5	12.1	180	7.5	206	5.5	202	30
31	4.6	-1.1	1.4	0.5	1.0	16.942	0.000	0.0	1013.9	1015.5	0.1	195	1.6	5.6	138	3.4	157	2.7	337	31
														< Monthly Avg						
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Maximum Temp ≤ 0: 0		Minimum Temp ≤ 0: 8 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 12 Precipitation ≥ 2.0 mm: 2				Greatest 24 - hr precipitation: 3.4 Date: 0-1 Monthly Total Precipitation: 14.0						
SEA LEVEL PRESSURE: >						MAXIMUM: 1031.9 MINIMUM: 985.9		DATE: 8 00:43 TIME: 25 21:27		DEGREEE DAYS: >				HEATING: 477.911 COOLING: 0.000		MONTHLY TOTAL: 3173.042 SEASON TO DATE TOTAL: 0.000				

MARCH 2026
Nagu, Egentliga Finland FIN

APRIL 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	4.7	0.1	2.0	0.9	1.6	16.336	0.000	0.0	1019.2	1020.8	2.3	216	2.6	10.3	234	6.8	228	5.5	225	01	
02	8.3	2.1	5.1	3.3	4.3	13.242	0.000	0.0	1009.9	1011.5	2.4	223	2.6	9.9	217	6.1	218	5.7	225	02	
03	9.3	1.4	3.8	1.4	2.7	14.562	0.000	0.0	1006.1	1007.7	0.5	344	1.1	4.7	302	2.8	333	2.4	337	03	
04	3.2	-0.5	1.7	1.1	1.4	16.676	0.000	2.2	998.7	1000.3	2.0	160	2.1	11.0	172	5.4	173	4.2	157	04	
05	5.4	0.8	2.5	1.6	2.1	15.879	0.000	3.6	998.5	1000.0	1.9	196	3.0	14.1	215	7.8	226	6.2	225	05	
06	5.4	1.9	3.2	2.0	2.7	15.086	0.000	3.0	989.7	991.3	2.1	275	4.0	14.8	235	10.4	216	7.6	225	06	
07	8.4	2.8	5.2	2.4	3.9	13.147	0.000	0.0	1011.9	1013.4	3.9	25	4.1	12.4	9	8.2	34	6.0	45	07	
08	8.4	2.3	5.2	-1.5	2.5	13.150	0.000	0.0	1027.1	1028.7	2.5	61	2.7	10.1	26	5.4	29	5.3	45	08	
09	8.3	-0.7	3.0	-5.0	0.1	15.312	0.000	0.0	1029.5	1031.1	1.0	78	1.6	5.6	97	3.2	88	2.5	202	09	
10	10.1	-0.7	3.7	-2.5	1.3	14.634	0.000	0.0	1024.2	1025.8	0.3	47	0.9	4.9	326	3.4	329	2.7	337	10	
11	12.4	-0.1	5.6	-3.8	2.0	12.771	0.000	0.0	1023.1	1024.7	0.3	101	1.1	5.2	155	3.5	202	2.7	202	11	
12	11.8	0.3	6.7	-0.9	3.5	11.646	0.000	0.0	1024.1	1025.7	1.2	147	1.4	7.7	169	4.5	178	3.4	180	12	
13	13.4	2.8	8.0	0.8	4.8	10.331	0.000	0.0	1028.5	1030.1	0.6	155	0.9	5.3	215	3.8	196	2.9	180	13	
14	13.8	2.4	8.1	2.2	5.4	10.242	0.000	0.0	1030.8	1032.5	0.7	144	1.0	5.4	207	3.8	195	3.0	202	14	
15	15.4	3.2	8.7	1.4	5.4	9.638	0.000	0.0	1025.1	1026.7	0.5	2	0.9	4.5	315	2.9	325	2.5	337	15	
16	10.5	3.6	7.1	3.2	5.3	11.286	0.000	0.2	1019.9	1021.5	1.1	73	1.2	7.8	70	4.3	89	3.4	90	16	
17	14.5	6.9	10.3	3.4	7.1	7.819	0.000	0.2	1020.0	1021.6	1.2	353	1.5	7.2	335	5.2	337	4.1	337	17	
18	12.7	4.6	8.8	0.8	5.3	9.494	0.000	0.0	1021.8	1023.4	0.9	186	1.4	7.2	225	4.8	219	4.0	225	18	
19	11.0	1.9	6.6	-0.2	3.7	11.708	0.000	0.0	1024.8	1026.4	0.8	150	1.7	6.4	116	3.7	231	3.1	202	19	
20	12.3	1.4	6.9	-1.5	3.4	11.466	0.000	0.0	1025.7	1027.4	1.1	18	1.6	7.4	346	4.8	329	4.1	337	20	
21	11.0	3.4	7.2	0.9	4.4	11.158	0.000	0.0	1021.9	1023.5	2.5	335	2.6	10.2	329	6.0	332	5.4	337	21	
22	8.5	4.8	6.3	2.6	4.6	12.063	0.000	0.0	1012.1	1013.7	3.7	338	3.7	12.8	360	7.8	340	6.3	337	22	
23	7.7	2.8	5.6	-1.8	2.7	12.751	0.000	0.0	1011.6	1013.2	3.4	358	3.9	10.9	43	7.6	26	6.4	22	23	
24	9.2	3.5	6.4	2.1	4.5	11.893	0.000	0.0	1006.4	1008.0	3.0	336	3.2	11.7	340	7.4	340	5.9	337	24	
25	7.9	2.3	5.1	0.5	3.2	13.197	0.000	0.0	995.2	996.8	2.7	346	3.9	14.7	347	8.9	25	7.7	22	25	
26	6.7	1.6	4.2	-2.9	1.5	14.101	0.000	0.0	1006.2	1007.8	5.1	7	5.3	15.6	35	8.7	24	7.0	22	26	
27	7.4	1.6	4.6	-1.2	2.3	13.698	0.000	0.0	1015.7	1017.2	4.1	358	4.4	15.2	352	8.1	345	7.4	337	27	
28	6.9	2.8	4.8	-3.5	1.6	13.549	0.000	0.0	1020.4	1022.0	4.5	15	4.7	12.6	360	8.1	32	6.5	22	28	
29	7.9	1.1	4.6	-3.0	1.7	13.713	0.000	0.0	1024.9	1026.5	2.5	359	2.9	10.2	340	6.7	333	6.2	337	29	
30	10.6	3.8	7.4	4.6	6.0	10.953	0.000	0.0	1021.8	1023.4	2.3	325	2.5	8.2	339	5.5	339	5.0	337	30	
	9.4	2.1	5.6	0.2	3.4	12.717	0.000		1016.5	1018.1	2.0	191	2.5	< Monthly Avg							
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ 0: 4 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 5 Precipitation ≥ 2.0 mm: 3			Greatest 24 - hr precipitation: 6.0 Date: 5-6 Monthly Total Precipitation: 9.2								
SEA LEVEL PRESSURE: >						MAXIMUM: 1034.5 MINIMUM: 985.7		DATE 14 6		TIME 09:38 07:28		DEGREEE DAYS: >		HEATING: 381.501 COOLING: 0.000		MONTHLY TOTAL 3554.543		SEASON TO DATE TOTAL 0.000			

APRIL 2026
Nagu, Egentliga Finland FIN

MAY 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN
Seili new WS



Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki

TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	17.6	5.4	10.0	5.2	7.6	8.299	0.000	0.0	1018.8	1020.4	1.1	290	1.9	6.5	231	4.9	219	3.7	225	01	
02	18.3	5.1	12.1	5.0	8.5	6.281	0.000	0.0	1009.5	1011.1	1.8	244	2.1	8.3	263	5.5	218	4.3	225	02	
03	11.2	5.8	8.0	4.3	6.3	10.296	0.000	0.2	1006.9	1008.5	2.0	329	2.1	7.3	338	5.0	329	4.4	337	03	
04	9.6	4.4	6.4	3.6	5.1	11.973	0.000	3.0	1003.3	1004.9	1.0	232	1.3	8.0	249	5.3	217	4.3	225	04	
05	8.1	4.1	6.1	2.5	4.5	12.202	0.000	0.0	1003.3	1004.9	2.1	317	2.9	9.7	337	6.0	327	5.1	337	05	
06	9.1	3.2	6.5	-1.6	3.3	11.828	0.000	0.0	1011.9	1013.5	1.5	325	1.7	6.7	315	4.3	332	3.7	337	06	
07	11.3	2.8	7.6	-2.7	3.4	10.794	0.000	0.0	1015.5	1017.1	1.4	356	1.7	8.4	347	5.5	336	4.5	337	07	
08	12.5	3.4	8.6	-0.6	4.7	9.693	0.000	0.0	1024.4	1026.0	1.6	347	1.9	7.2	307	4.5	328	4.0	337	08	
09	14.8	5.2	10.4	-1.0	5.5	7.950	0.000	0.0	1025.4	1027.0	1.6	160	1.6	7.6	157	4.6	159	3.6	135	09	
10	14.3	5.7	10.0	1.2	6.0	8.287	0.000	0.0	1014.7	1016.3	2.0	178	2.2	8.0	157	5.3	206	4.4	180	10	
11	13.8	6.5	9.8	4.3	7.1	8.508	0.000	0.6	1004.7	1006.3	2.2	189	2.4	8.1	232	5.4	216	4.2	202	11	
12	10.1	8.2	9.2	7.2	8.2	9.089	0.000	4.0	999.0	1000.6	1.2	139	1.4	8.9	138	4.9	146	3.9	135	12	
13	10.3	7.2	9.0	8.4	8.7	9.331	0.000	7.4	994.3	995.8	0.4	225	0.5	5.3	233	3.4	245	2.2	247	13	
14	11.1	6.7	8.3	6.3	7.3	10.075	0.000	1.8	997.5	999.1	3.2	197	3.5	12.7	226	7.1	206	5.2	202	14	
15	16.5	7.3	12.2	7.1	9.5	6.166	0.000	0.0	1004.6	1006.2	1.2	155	1.6	7.5	138	4.3	142	3.3	135	15	
16	18.0	7.2	12.0	6.8	9.3	6.376	0.000	0.0	1002.2	1003.7	1.2	209	1.4	6.6	219	4.2	195	3.3	202	16	
17	10.2	5.4	7.4	6.2	6.8	10.896	0.000	0.0	1011.9	1013.5	2.5	200	2.6	8.4	170	5.2	218	4.1	202	17	
18	17.1	4.8	10.4	6.9	8.5	7.997	0.000	0.0	1018.9	1020.5	0.4	339	1.2	6.1	323	4.1	335	3.3	337	18	
19	15.7	9.3	12.6	10.5	11.4	5.758	0.000	3.8	1013.7	1015.3	0.7	17	1.4	8.1	42	3.9	85	3.6	90	19	
20	16.8	8.5	12.0	9.2	10.4	6.370	0.000	0.0	1018.4	1020.0	1.1	304	1.3	5.0	278	3.1	322	2.2	315	20	
21	15.9	7.7	11.8	9.0	10.2	6.569	0.000	0.0	1020.2	1021.8	1.4	213	1.5	6.0	230	4.0	236	3.2	180	21	
22	17.5	9.8	12.8	10.6	11.5	5.517	0.000	1.2	1018.2	1019.8	0.6	286	0.8	5.1	272	3.0	315	2.2	315	22	
23	21.9	10.3	15.8	11.4	13.2	3.044	0.487	0.6	1016.9	1018.5	1.1	276	1.6	8.5	292	4.2	271	3.4	270	23	
24	16.8	12.6	14.6	9.7	11.9	3.761	0.000	0.2	1014.5	1016.1	2.9	325	3.3	12.2	352	6.7	343	6.0	337	24	
25	13.9	10.8	12.8	6.7	9.7	5.534	0.000	0.0	1016.3	1017.9	2.8	340	3.0	13.0	292	6.8	347	6.0	337	25	
26	14.1	9.7	11.6	6.9	9.2	6.707	0.000	0.0	1011.1	1012.7	2.4	328	2.5	10.8	322	6.5	344	4.8	337	26	
27	12.9	8.6	10.7	6.2	8.4	7.675	0.000	0.2	1006.4	1008.0	4.4	350	4.6	14.3	315	9.2	345	7.0	337	27	
28	13.5	9.4	11.4	6.2	8.7	6.942	0.000	0.0	1011.9	1013.5	4.1	345	4.2	13.4	342	8.1	342	6.9	337	28	
29	13.5	9.9	11.6	6.0	8.8	6.733	0.000	0.0	1013.9	1015.4	3.2	341	3.2	13.3	337	6.5	343	5.6	337	29	
30	18.9	7.7	13.7	5.8	9.6	4.707	0.011	0.0	1010.9	1012.5	1.2	331	1.3	6.7	332	4.3	333	3.6	337	30	
31	17.3	10.0	14.3	9.0	11.4	4.041	0.000	0.0	1010.6	1012.2	1.3	204	1.8	6.8	167	4.3	214	3.7	180	31	
	14.3	7.2	10.6	5.7	8.2	7.723	0.249		1011.3	1012.9	1.8	261	2.1	< Monthly Avg							
NUMBER OF DAYS WITH:		>		Maximum Temp ≥ 32.2: 0		Minimum Temp ≤ 0: 0		Precipitation ≥ 0.2 mm: 11		Precipitation ≥ 2.0 mm: 4		Greatest 24 - hr precipitation: 7.8 Date: 13-14								Monthly Total Precipitation: 23.0	
SEA LEVEL PRESSURE:		>		MAXIMUM: 1029.1		DATE: 9		TIME: 10:02		DEGREEE DAYS: >		HEATING: 239.400		MONTHLY TOTAL: 239.400		SEASON TO DATE TOTAL: 3793.943		COOLING: 0.498		0.498	

MAY 2026
Nagu, Egentliga Finland FIN

JUNE 2026

LOCAL CLIMATOLOGICAL DATA

DAVIS INSTRUMENTS, WEATHERLINK NETWORK

Nagu, Egentliga Finland FIN

Seili new WS

Lat: 60.2396 Long: 21.9616 Elev (ground): 13 m Time Zone: Europe/Helsinki



TEMPERATURE °C						DEG DAYS BASE 18.3°		PRECIP. (mm)	PRESSURE (mb)		WIND SPEED = m/s DIR = DEGREES								Date		
Date	MAXIMUM	MINIMUM	AVERAGE	AVERAGE DEW PT	AVERAGE WET BULB	HEATING	COOLING	WATER EQUIV	AVERAGE STATION	AVERAGE SEA LEVEL	RESULTANT SPEED	RES DIR	AVERAGE SPEED	WIND MAX							
														INSTANT		2 - MIN		ARCHIVE			
														SPEED	DIR	SPEED	DIR	SPEED		DIR	
01	18.9	9.7	14.5	9.7	11.8	3.821	0.003	0.0	1012.4	1014.0	0.6	306	1.0	5.4	315	3.4	336	2.8	337	01	
02	18.2	10.6	14.4	11.0	12.4	3.935	0.000	0.0	1010.8	1012.4	1.8	205	1.8	6.3	180	4.2	209	3.2	202	02	
03	20.7	9.9	15.4	11.4	13.1	3.361	0.429	0.0	1011.2	1012.8	1.4	176	1.5	6.0	171	3.5	221	2.7	225	03	
04	21.7	15.0	18.4	12.5	14.9	0.914	1.034	0.0	1009.2	1010.8	2.3	172	2.6	13.9	157	8.8	187	5.9	180	04	
05	18.4	13.6	15.9	13.7	14.6	2.397	0.000	5.8	1009.2	1010.7	2.6	180	2.7	9.8	157	5.7	191	4.6	180	05	
06	15.9	12.7	13.9	13.1	13.4	4.406	0.000	10.4	1010.0	1011.6	0.8	281	1.4	8.4	279	4.9	211	3.4	315	06	
07	17.3	12.5	14.7	11.3	12.8	3.671	0.000	0.0	1015.3	1016.9	2.9	209	3.1	9.4	226	6.3	218	4.9	225	07	
08	21.1	12.2	17.2	10.6	13.4	2.007	0.849	0.0	1016.5	1018.1	1.2	205	1.3	6.3	157	3.9	209	3.1	180	08	
09	21.0	12.7	16.8	12.4	14.2	1.863	0.364	0.0	1010.5	1012.1	0.4	178	0.8	5.4	159	3.2	221	2.7	225	09	
10	15.9	12.3	14.3	11.4	12.6	3.957	0.000	2.4	1008.9	1010.5	3.6	221	3.8	13.5	234	8.4	218	7.0	225	10	
11	17.1	11.7	14.0	11.7	12.7	4.292	0.000	1.0	1014.5	1016.1	1.1	190	1.6	6.5	231	3.6	216	3.1	225	11	
12	17.1	11.2	13.4	10.6	11.8	4.901	0.000	2.0	1011.0	1012.6	1.0	303	2.1	8.4	315	4.4	321	3.3	337	12	
13	18.1	10.4	14.0	10.3	12.0	4.296	0.000	3.6	1009.4	1011.0	1.4	182	1.6	5.8	124	3.9	143	2.7	135	13	
14	15.2	10.1	12.4	9.7	10.9	5.938	0.000	18.0	997.7	999.3	1.3	217	2.5	10.2	217	6.9	201	4.7	225	14	
15	15.7	12.2	13.4	12.1	12.7	4.910	0.000	37.4	998.1	999.7	0.4	104	1.1	6.7	225	4.7	212	2.9	202	15	
16	16.9	10.9	13.6	11.6	12.4	4.772	0.000	0.2	1000.9	1002.5	1.1	344	2.0	8.0	315	5.1	344	4.0	337	16	
17	17.2	11.6	14.3	11.1	12.5	4.054	0.000	0.0	1004.5	1006.1	3.4	338	3.5	11.6	292	6.2	329	5.3	337	17	
18	19.2	12.4	16.2	12.1	13.8	2.222	0.042	0.0	1007.9	1009.5	0.6	280	0.9	5.1	293	3.1	318	2.4	292	18	
19	21.4	13.2	17.4	11.8	14.1	1.802	0.809	0.0	1013.9	1015.5	0.9	305	1.3	5.9	311	3.4	305	2.9	315	19	
20	21.4	15.3	18.3	15.4	16.5	0.872	0.797	0.0	1016.2	1017.8	3.0	215	3.1	9.4	215	6.3	217	4.4	225	20	
21	20.8	15.9	18.7	15.0	16.4	0.436	0.856	0.0	1016.7	1018.3	1.4	295	2.1	7.3	228	4.7	215	3.5	225	21	
22	20.9	14.8	17.7	9.0	12.9	1.260	0.597	0.0	1020.2	1021.8	1.8	31	2.0	9.5	333	6.0	23	4.6	22	22	
23	16.2	14.0	15.1	8.8	11.6	3.266	0.000	0.0	1019.9	1021.5	1.3	332	1.8	6.8	323	3.9	340	3.2	337	23	
24	19.4	14.6	16.5	13.3	14.6	1.937	0.070	3.4	1011.8	1013.4	1.0	306	1.6	7.2	225	4.7	226	3.4	225	24	
25	18.8	13.4	15.8	12.5	13.8	2.539	0.004	1.6	1013.8	1015.4	0.3	320	1.1	6.1	20	3.2	217	2.6	22	25	
26	18.9	14.8	17.0	12.9	14.6	1.317	0.030	0.0	1016.1	1017.7	1.3	288	2.3	10.7	225	6.3	220	5.3	225	26	
27	22.6	16.9	19.4	14.8	16.5	0.351	1.406	0.0	1015.5	1017.1	1.1	315	1.4	7.1	250	4.0	332	3.0	225	27	
28	22.7	17.2	19.4	16.1	17.4	0.147	1.195	0.4	1013.5	1015.1	1.5	196	1.8	9.1	163	5.9	173	4.2	180	28	
29	26.4	15.7	20.3	16.1	17.6	0.633	2.607	0.0	1012.9	1014.5	0.4	245	1.4	5.7	211	3.7	207	2.9	225	29	
30	21.1	16.9	19.4	14.5	16.4	0.075	1.119	0.0	1016.4	1018.0	2.2	331	2.5	9.0	339	5.5	332	4.7	337	30	
	19.2	13.1	16.1	12.2	13.8	2.678	0.718		1011.5	1013.1	1.5	242	1.9	< Monthly Avg							
NUMBER OF DAYS WITH: >						Maximum Temp ≥ 32.2: 0 Minimum Temp ≤ 0: 0		Minimum Temp ≤ 0: 0 Minimum Temp ≤ -17.7: 0		Precipitation ≥ 0.2 mm: 12 Precipitation ≥ 2.0 mm: 8			Greatest 24 - hr precipitation: 37.6 Date: 15-16 Monthly Total Precipitation: 86.2								
SEA LEVEL PRESSURE: >						MAXIMUM: 1023.3 MINIMUM: 996.1		DATE 23		TIME 01:59 09:08		DEGREEE DAYS: >		HEATING: 80.348 COOLING: 12.210		MONTHLY TOTAL		SEASON TO DATE TOTAL 3874.291 12.708			

JUNE 2026
Nagu, Egentliga Finland FIN